

Red Light real movie

Fx3 Animation Report

Organization	Visual Statement	Case	n/a
Created By	Mike Kennedy	Date Created	8/24/2007

Summary Information

Not involved 4

Pre-Impact Velocity(MPH)	Post-Impact Velocity(MPH)	Delta Velocity(MPH)	Time of Collision (sec)
0.00	0.00	0.00	0.00

Segment ID	Initial Velocity(MPH)	Final Velocity(MPH)	Acceleration(f/s ²)	Time (sec)	(feet)
1	30.00	0.00	-5.73	7.68	169.00

No involved 3

Pre-Impact Velocity(MPH)	Post-Impact Velocity(MPH)	Delta Velocity(MPH)	Time of Collision (sec)
0.00	0.00	0.00	0.00

Segment ID	Initial Velocity(MPH)	Final Velocity(MPH)	Acceleration(f/s ²)	Time (sec)	(feet)
1	30.00	0.00	-5.66	7.77	171.01

No involved 2

Pre-Impact Velocity(MPH)	Post-Impact Velocity(MPH)	Delta Velocity(MPH)	Time of Collision (sec)
0.00	0.00	0.00	0.00

Segment ID	Initial Velocity(MPH)	Final Velocity(MPH)	Acceleration(f/s ²)	Time (sec)	(feet)
1	40.00	0.00	-9.20	6.38	187.00

not involved 1

Pre-Impact Velocity(MPH)	Post-Impact Velocity(MPH)	Delta Velocity(MPH)	Time of Collision (sec)
0.00	0.00	0.00	0.00

Segment ID	Initial Velocity(MPH)	Final Velocity(MPH)	Acceleration(f/s ²)	Time (sec)	(feet)
1	43.00	0.00	-10.87	5.80	183.01

PT Cruiser

Pre-Impact Velocity(MPH)	Post-Impact Velocity(MPH)	Delta Velocity(MPH)	Time of Collision (sec)
50.00	25.00	-25.00	8.19

Segment ID	Initial Velocity(MPH)	Final Velocity(MPH)	Acceleration(f/s ²)	Time (sec)	(feet)
1	0.00	0.00	0.00	5.15	0.00
2	60.00	50.00	-4.84	3.03	244.55
3	25.00	0.00	-11.06	3.31	60.75

Subaru

Pre-Impact Velocity(MPH)	Post-Impact Velocity(MPH)	Delta Velocity(MPH)	Time of Collision (sec)
30.00	30.00	0.00	8.19

Segment ID	Initial Velocity(MPH)	Final Velocity(MPH)	Acceleration(f/s ²)	Time (sec)	(feet)
1	0.00	0.00	0.00	0.69	0.00
2	30.00	30.00	0.00	7.49	329.65
3	30.00	20.00	-7.44	1.97	72.32
4	20.00	10.00	-9.96	1.47	32.39
5	10.00	0.00	-5.83	2.52	18.46

Pedestrian

Pre-Impact Velocity(MPH)	Post-Impact Velocity(MPH)	Delta Velocity(MPH)	Time of Collision (sec)
0.00	0.00	0.00	0.00

Segment ID	Initial Velocity(MPH)	Final Velocity(MPH)	Acceleration(f/s ²)	Time (sec)	(feet)
1	3.50	3.50	0.00	10.10	51.85
2	25.00	0.00	-13.44	2.73	50.02

Entity 8

Pre-Impact Velocity(MPH)	Post-Impact Velocity(MPH)	Delta Velocity(MPH)	Time of Collision (sec)
0.00	0.00	0.00	0.00

Segment ID	Initial Velocity(MPH)	Final Velocity(MPH)	Acceleration(f/s ²)	Time (sec)	(feet)
1	15.00	15.00	0.00	2.57	56.45
2	15.00	0.00	-6.52	3.38	37.14

Entity 9

Pre-Impact Velocity(MPH)	Post-Impact Velocity(MPH)	Delta Velocity(MPH)	Time of Collision (sec)
0.00	0.00	0.00	0.00

Segment ID	Initial Velocity(MPH)	Final Velocity(MPH)	Acceleration(f/s ²)	Time (sec)	(feet)
1	40.00	20.00	-2.83	10.38	456.74

Not involved 4

Time	x	y	z	Yaw	Pitch	Roll	Speed
0.00	-11.09	229.28	0.00	270	0	0	30.00
0.05	-11.09	227.08	0.00	270	0	0	29.80
0.10	-11.09	224.91	0.00	270	0	0	29.61
0.15	-11.09	222.74	0.00	270	0	0	29.41
0.20	-11.09	220.59	0.00	270	0	0	29.22
0.25	-11.09	218.46	0.00	270	0	0	29.02
0.30	-11.09	216.34	0.00	270	0	0	28.83
0.35	-11.09	214.23	0.00	270	0	0	28.63
0.40	-11.09	212.14	0.00	270	0	0	28.44
0.45	-11.09	210.06	0.00	270	0	0	28.24
0.50	-11.09	207.99	0.00	270	0	0	28.05
0.55	-11.09	205.94	0.00	270	0	0	27.85
0.60	-11.09	203.91	0.00	270	0	0	27.66
0.65	-11.09	201.89	0.00	270	0	0	27.46
0.70	-11.09	199.88	0.00	270	0	0	27.27
0.75	-11.09	197.89	0.00	270	0	0	27.07
0.80	-11.09	195.91	0.00	270	0	0	26.88
0.85	-11.09	193.95	0.00	270	0	0	26.68
0.90	-11.09	192.00	0.00	270	0	0	26.49
0.95	-11.09	190.06	0.00	270	0	0	26.29
1.00	-11.09	188.14	0.00	270	0	0	26.09
1.05	-11.09	186.24	0.00	270	0	0	25.90
1.10	-11.09	184.34	0.00	270	0	0	25.70
1.15	-11.09	182.47	0.00	270	0	0	25.51
1.20	-11.09	180.60	0.00	270	0	0	25.31
1.25	-11.09	178.75	0.00	270	0	0	25.12
1.30	-11.09	176.92	0.00	270	0	0	24.92
1.35	-11.09	175.10	0.00	270	0	0	24.73
1.40	-11.09	173.29	0.00	270	0	0	24.53
1.45	-11.09	171.50	0.00	270	0	0	24.34
1.50	-11.09	169.72	0.00	270	0	0	24.14
1.55	-11.09	167.96	0.00	270	0	0	23.95
1.60	-11.09	166.21	0.00	270	0	0	23.75
1.65	-11.09	164.47	0.00	270	0	0	23.56
1.70	-11.09	162.75	0.00	270	0	0	23.36
1.75	-11.09	161.05	0.00	270	0	0	23.17
1.80	-11.09	159.36	0.00	270	0	0	22.97
1.85	-11.09	157.68	0.00	270	0	0	22.78
1.90	-11.09	156.02	0.00	270	0	0	22.58
1.95	-11.09	154.37	0.00	270	0	0	22.38
2.00	-11.09	152.73	0.00	270	0	0	22.19
2.05	-11.09	151.11	0.00	270	0	0	21.99
2.10	-11.09	149.51	0.00	270	0	0	21.80
2.15	-11.09	147.92	0.00	270	0	0	21.60
2.20	-11.09	146.34	0.00	270	0	0	21.41
2.25	-11.09	144.78	0.00	270	0	0	21.21
2.30	-11.09	143.23	0.00	270	0	0	21.02
2.35	-11.09	141.69	0.00	270	0	0	20.82
2.40	-11.09	140.17	0.00	270	0	0	20.63
2.45	-11.09	138.67	0.00	270	0	0	20.43

Not involved 4

Time	x	y	z	Yaw	Pitch	Roll	Speed
2.50	-11.09	137.18	0.00	270	0	0	20.24
2.55	-11.09	135.70	0.00	270	0	0	20.04
2.60	-11.09	134.24	0.00	270	0	0	19.85
2.65	-11.09	132.79	0.00	270	0	0	19.65
2.70	-11.09	131.36	0.00	270	0	0	19.46
2.75	-11.09	129.94	0.00	270	0	0	19.26
2.80	-11.09	128.53	0.00	270	0	0	19.07
2.85	-11.09	127.14	0.00	270	0	0	18.87
2.90	-11.09	125.76	0.00	270	0	0	18.67
2.95	-11.09	124.40	0.00	270	0	0	18.48
3.00	-11.09	123.05	0.00	270	0	0	18.28
3.05	-11.09	121.72	0.00	270	0	0	18.09
3.10	-11.09	120.40	0.00	270	0	0	17.89
3.15	-11.09	119.09	0.00	270	0	0	17.70
3.20	-11.09	117.80	0.00	270	0	0	17.50
3.25	-11.09	116.53	0.00	270	0	0	17.31
3.30	-11.09	115.27	0.00	270	0	0	17.11
3.35	-11.09	114.02	0.00	270	0	0	16.92
3.40	-11.09	112.78	0.00	270	0	0	16.72
3.45	-11.09	111.57	0.00	270	0	0	16.53
3.50	-11.09	110.36	0.00	270	0	0	16.33
3.55	-11.09	109.17	0.00	270	0	0	16.14
3.60	-11.09	107.99	0.00	270	0	0	15.94
3.65	-11.09	106.83	0.00	270	0	0	15.75
3.70	-11.09	105.68	0.00	270	0	0	15.55
3.75	-11.09	104.55	0.00	270	0	0	15.36
3.80	-11.09	103.43	0.00	270	0	0	15.16
3.85	-11.09	102.33	0.00	270	0	0	14.96
3.90	-11.09	101.24	0.00	270	0	0	14.77
3.95	-11.09	100.16	0.00	270	0	0	14.57
4.00	-11.09	99.10	0.00	270	0	0	14.38
4.05	-11.09	98.05	0.00	270	0	0	14.18
4.10	-11.09	97.02	0.00	270	0	0	13.99
4.15	-11.09	96.00	0.00	270	0	0	13.79
4.20	-11.09	95.00	0.00	270	0	0	13.60
4.25	-11.09	94.01	0.00	270	0	0	13.40
4.30	-11.09	93.03	0.00	270	0	0	13.21
4.35	-11.09	92.07	0.00	270	0	0	13.01
4.40	-11.09	91.12	0.00	270	0	0	12.82
4.45	-11.09	90.19	0.00	270	0	0	12.62
4.50	-11.09	89.27	0.00	270	0	0	12.43
4.55	-11.09	88.37	0.00	270	0	0	12.23
4.60	-11.09	87.48	0.00	270	0	0	12.04
4.65	-11.09	86.60	0.00	270	0	0	11.84
4.70	-11.09	85.74	0.00	270	0	0	11.64
4.75	-11.09	84.89	0.00	270	0	0	11.45
4.80	-11.09	84.06	0.00	270	0	0	11.25
4.85	-11.09	83.24	0.00	270	0	0	11.06
4.90	-11.09	82.44	0.00	270	0	0	10.86
4.95	-11.09	81.65	0.00	270	0	0	10.67

Not involved 4

Time	x	y	z	Yaw	Pitch	Roll	Speed
5.00	-11.09	80.88	0.00	270	0	0	10.47
5.05	-11.09	80.11	0.00	270	0	0	10.28
5.10	-11.09	79.37	0.00	270	0	0	10.08
5.15	-11.09	78.64	0.00	270	0	0	9.89
5.20	-11.09	77.92	0.00	270	0	0	9.69
5.25	-11.09	77.21	0.00	270	0	0	9.50
5.30	-11.09	76.52	0.00	270	0	0	9.30
5.35	-11.09	75.85	0.00	270	0	0	9.11
5.40	-11.09	75.19	0.00	270	0	0	8.91
5.45	-11.09	74.54	0.00	270	0	0	8.72
5.50	-11.09	73.91	0.00	270	0	0	8.52
5.55	-11.09	73.29	0.00	270	0	0	8.33
5.60	-11.09	72.69	0.00	270	0	0	8.13
5.65	-11.09	72.10	0.00	270	0	0	7.93
5.70	-11.09	71.53	0.00	270	0	0	7.74
5.75	-11.09	70.97	0.00	270	0	0	7.54
5.80	-11.09	70.42	0.00	270	0	0	7.35
5.85	-11.09	69.89	0.00	270	0	0	7.15
5.90	-11.09	69.37	0.00	270	0	0	6.96
5.95	-11.09	68.87	0.00	270	0	0	6.76
6.00	-11.09	68.38	0.00	270	0	0	6.57
6.05	-11.09	67.90	0.00	270	0	0	6.37
6.10	-11.09	67.44	0.00	270	0	0	6.18
6.15	-11.09	67.00	0.00	270	0	0	5.98
6.20	-11.09	66.57	0.00	270	0	0	5.79
6.25	-11.09	66.15	0.00	270	0	0	5.59
6.30	-11.09	65.75	0.00	270	0	0	5.40
6.35	-11.09	65.36	0.00	270	0	0	5.20
6.40	-11.09	64.98	0.00	270	0	0	5.01
6.45	-11.09	64.62	0.00	270	0	0	4.81
6.50	-11.09	64.28	0.00	270	0	0	4.62
6.55	-11.09	63.95	0.00	270	0	0	4.42
6.60	-11.09	63.63	0.00	270	0	0	4.22
6.65	-11.09	63.33	0.00	270	0	0	4.03
6.70	-11.09	63.04	0.00	270	0	0	3.83
6.75	-11.09	62.76	0.00	270	0	0	3.64
6.80	-11.09	62.50	0.00	270	0	0	3.44
6.85	-11.09	62.26	0.00	270	0	0	3.25
6.90	-11.09	62.03	0.00	270	0	0	3.05
6.95	-11.09	61.81	0.00	270	0	0	2.86
7.00	-11.09	61.61	0.00	270	0	0	2.66
7.05	-11.09	61.42	0.00	270	0	0	2.47
7.10	-11.09	61.25	0.00	270	0	0	2.27
7.15	-11.09	61.09	0.00	270	0	0	2.08
7.20	-11.09	60.94	0.00	270	0	0	1.88
7.25	-11.09	60.81	0.00	270	0	0	1.69
7.30	-11.09	60.70	0.00	270	0	0	1.49
7.35	-11.09	60.59	0.00	270	0	0	1.30
7.40	-11.09	60.51	0.00	270	0	0	1.10
7.45	-11.09	60.43	0.00	270	0	0	0.91

Not involved 4

Time	x	y	z	Yaw	Pitch	Roll	Speed
7.50	-11.09	60.37	0.00	270	0	0	0.71
7.55	-11.09	60.33	0.00	270	0	0	0.51
7.60	-11.09	60.30	0.00	270	0	0	0.32
7.65	-11.09	60.28	0.00	270	0	0	0.12
7.70	-11.09	60.28	0.00	270	0	0	0.00

No involved 3

Time	x	y	z	Yaw	Pitch	Roll	Speed
0.00	-12.09	261.28	0.00	271	0	0	30.00
0.05	-12.07	259.09	0.00	271	0	0	29.81
0.10	-12.04	256.91	0.00	271	0	0	29.61
0.15	-12.02	254.74	0.00	271	0	0	29.42
0.20	-11.99	252.59	0.00	271	0	0	29.23
0.25	-11.97	250.46	0.00	271	0	0	29.04
0.30	-11.94	248.33	0.00	271	0	0	28.84
0.35	-11.92	246.23	0.00	271	0	0	28.65
0.40	-11.89	244.13	0.00	271	0	0	28.46
0.45	-11.87	242.05	0.00	271	0	0	28.26
0.50	-11.85	239.99	0.00	271	0	0	28.07
0.55	-11.82	237.94	0.00	271	0	0	27.88
0.60	-11.80	235.90	0.00	271	0	0	27.68
0.65	-11.77	233.88	0.00	271	0	0	27.49
0.70	-11.75	231.87	0.00	271	0	0	27.30
0.75	-11.73	229.87	0.00	271	0	0	27.11
0.80	-11.70	227.89	0.00	271	0	0	26.91
0.85	-11.68	225.93	0.00	271	0	0	26.72
0.90	-11.66	223.97	0.00	271	0	0	26.53
0.95	-11.64	222.03	0.00	271	0	0	26.33
1.00	-11.61	220.11	0.00	271	0	0	26.14
1.05	-11.59	218.20	0.00	271	0	0	25.95
1.10	-11.57	216.31	0.00	271	0	0	25.75
1.15	-11.55	214.42	0.00	271	0	0	25.56
1.20	-11.52	212.56	0.00	271	0	0	25.37
1.25	-11.50	210.70	0.00	271	0	0	25.18
1.30	-11.48	208.86	0.00	271	0	0	24.98
1.35	-11.46	207.04	0.00	271	0	0	24.79
1.40	-11.44	205.23	0.00	271	0	0	24.60
1.45	-11.42	203.43	0.00	271	0	0	24.40
1.50	-11.40	201.65	0.00	271	0	0	24.21
1.55	-11.38	199.88	0.00	271	0	0	24.02
1.60	-11.36	198.13	0.00	271	0	0	23.82
1.65	-11.34	196.39	0.00	271	0	0	23.63
1.70	-11.32	194.66	0.00	271	0	0	23.44
1.75	-11.30	192.95	0.00	271	0	0	23.25
1.80	-11.28	191.25	0.00	271	0	0	23.05
1.85	-11.26	189.57	0.00	271	0	0	22.86
1.90	-11.24	187.90	0.00	271	0	0	22.67
1.95	-11.22	186.24	0.00	271	0	0	22.47
2.00	-11.20	184.60	0.00	271	0	0	22.28
2.05	-11.18	182.98	0.00	271	0	0	22.09
2.10	-11.16	181.36	0.00	271	0	0	21.90
2.15	-11.14	179.77	0.00	271	0	0	21.70
2.20	-11.12	178.18	0.00	271	0	0	21.51
2.25	-11.10	176.61	0.00	271	0	0	21.32
2.30	-11.09	175.06	0.00	271	0	0	21.12
2.35	-11.07	173.51	0.00	271	0	0	20.93
2.40	-11.05	171.99	0.00	271	0	0	20.74
2.45	-11.03	170.47	0.00	271	0	0	20.54

No involved 3

Time	x	y	z	Yaw	Pitch	Roll	Speed
2.50	-11.01	168.97	0.00	271	0	0	20.35
2.55	-11.00	167.49	0.00	271	0	0	20.16
2.60	-10.98	166.02	0.00	271	0	0	19.97
2.65	-10.96	164.56	0.00	271	0	0	19.77
2.70	-10.95	163.12	0.00	271	0	0	19.58
2.75	-10.93	161.69	0.00	271	0	0	19.39
2.80	-10.91	160.27	0.00	271	0	0	19.19
2.85	-10.90	158.87	0.00	271	0	0	19.00
2.90	-10.88	157.49	0.00	271	0	0	18.81
2.95	-10.86	156.11	0.00	271	0	0	18.61
3.00	-10.85	154.76	0.00	271	0	0	18.42
3.05	-10.83	153.41	0.00	271	0	0	18.23
3.10	-10.82	152.08	0.00	271	0	0	18.04
3.15	-10.80	150.77	0.00	271	0	0	17.84
3.20	-10.79	149.47	0.00	271	0	0	17.65
3.25	-10.77	148.18	0.00	271	0	0	17.46
3.30	-10.76	146.91	0.00	271	0	0	17.26
3.35	-10.74	145.65	0.00	271	0	0	17.07
3.40	-10.73	144.40	0.00	271	0	0	16.88
3.45	-10.71	143.17	0.00	271	0	0	16.69
3.50	-10.70	141.96	0.00	271	0	0	16.49
3.55	-10.68	140.75	0.00	271	0	0	16.30
3.60	-10.67	139.57	0.00	271	0	0	16.11
3.65	-10.66	138.39	0.00	271	0	0	15.91
3.70	-10.64	137.23	0.00	271	0	0	15.72
3.75	-10.63	136.09	0.00	271	0	0	15.53
3.80	-10.62	134.95	0.00	271	0	0	15.33
3.85	-10.60	133.84	0.00	271	0	0	15.14
3.90	-10.59	132.73	0.00	271	0	0	14.95
3.95	-10.58	131.65	0.00	271	0	0	14.76
4.00	-10.57	130.57	0.00	271	0	0	14.56
4.05	-10.55	129.51	0.00	271	0	0	14.37
4.10	-10.54	128.46	0.00	271	0	0	14.18
4.15	-10.53	127.43	0.00	271	0	0	13.98
4.20	-10.52	126.41	0.00	271	0	0	13.79
4.25	-10.51	125.41	0.00	271	0	0	13.60
4.30	-10.49	124.42	0.00	271	0	0	13.40
4.35	-10.48	123.44	0.00	271	0	0	13.21
4.40	-10.47	122.48	0.00	271	0	0	13.02
4.45	-10.46	121.53	0.00	271	0	0	12.83
4.50	-10.45	120.60	0.00	271	0	0	12.63
4.55	-10.44	119.68	0.00	271	0	0	12.44
4.60	-10.43	118.77	0.00	271	0	0	12.25
4.65	-10.42	117.88	0.00	271	0	0	12.05
4.70	-10.41	117.01	0.00	271	0	0	11.86
4.75	-10.40	116.14	0.00	271	0	0	11.67
4.80	-10.39	115.30	0.00	271	0	0	11.47
4.85	-10.38	114.46	0.00	271	0	0	11.28
4.90	-10.37	113.64	0.00	271	0	0	11.09
4.95	-10.36	112.84	0.00	271	0	0	10.90

No involved 3

Time	x	y	z	Yaw	Pitch	Roll	Speed
5.00	-10.35	112.04	0.00	271	0	0	10.70
5.05	-10.34	111.27	0.00	271	0	0	10.51
5.10	-10.33	110.50	0.00	271	0	0	10.32
5.15	-10.32	109.75	0.00	271	0	0	10.12
5.20	-10.31	109.02	0.00	271	0	0	9.93
5.25	-10.31	108.30	0.00	271	0	0	9.74
5.30	-10.30	107.59	0.00	271	0	0	9.55
5.35	-10.29	106.90	0.00	271	0	0	9.35
5.40	-10.28	106.22	0.00	271	0	0	9.16
5.45	-10.27	105.55	0.00	271	0	0	8.97
5.50	-10.27	104.90	0.00	271	0	0	8.77
5.55	-10.26	104.27	0.00	271	0	0	8.58
5.60	-10.25	103.64	0.00	271	0	0	8.39
5.65	-10.24	103.04	0.00	271	0	0	8.19
5.70	-10.24	102.44	0.00	271	0	0	8.00
5.75	-10.23	101.86	0.00	271	0	0	7.81
5.80	-10.22	101.30	0.00	271	0	0	7.62
5.85	-10.22	100.75	0.00	271	0	0	7.42
5.90	-10.21	100.21	0.00	271	0	0	7.23
5.95	-10.20	99.69	0.00	271	0	0	7.04
6.00	-10.20	99.18	0.00	271	0	0	6.84
6.05	-10.19	98.68	0.00	271	0	0	6.65
6.10	-10.19	98.20	0.00	271	0	0	6.46
6.15	-10.18	97.73	0.00	271	0	0	6.26
6.20	-10.18	97.28	0.00	271	0	0	6.07
6.25	-10.17	96.84	0.00	271	0	0	5.88
6.30	-10.17	96.42	0.00	271	0	0	5.69
6.35	-10.16	96.01	0.00	271	0	0	5.49
6.40	-10.16	95.61	0.00	271	0	0	5.30
6.45	-10.15	95.23	0.00	271	0	0	5.11
6.50	-10.15	94.87	0.00	271	0	0	4.91
6.55	-10.14	94.51	0.00	271	0	0	4.72
6.60	-10.14	94.17	0.00	271	0	0	4.53
6.65	-10.14	93.85	0.00	271	0	0	4.34
6.70	-10.13	93.54	0.00	271	0	0	4.14
6.75	-10.13	93.24	0.00	271	0	0	3.95
6.80	-10.13	92.96	0.00	271	0	0	3.76
6.85	-10.12	92.69	0.00	271	0	0	3.56
6.90	-10.12	92.44	0.00	271	0	0	3.37
6.95	-10.12	92.20	0.00	271	0	0	3.18
7.00	-10.11	91.97	0.00	271	0	0	2.98
7.05	-10.11	91.76	0.00	271	0	0	2.79
7.10	-10.11	91.56	0.00	271	0	0	2.60
7.15	-10.11	91.38	0.00	271	0	0	2.41
7.20	-10.11	91.21	0.00	271	0	0	2.21
7.25	-10.10	91.05	0.00	271	0	0	2.02
7.30	-10.10	90.91	0.00	271	0	0	1.83
7.35	-10.10	90.78	0.00	271	0	0	1.63
7.40	-10.10	90.67	0.00	271	0	0	1.44
7.45	-10.10	90.57	0.00	271	0	0	1.25

No involved 3

Time	x	y	z	Yaw	Pitch	Roll	Speed
7.50	-10.10	90.49	0.00	271	0	0	1.05
7.55	-10.10	90.42	0.00	271	0	0	0.86
7.60	-10.10	90.36	0.00	271	0	0	0.67
7.65	-10.09	90.32	0.00	271	0	0	0.48
7.70	-10.09	90.29	0.00	271	0	0	0.28
7.75	-10.09	90.28	0.00	271	0	0	0.09
7.80	-10.09	90.28	0.00	271	0	0	0.00

No involved 2

Time	x	y	z	Yaw	Pitch	Roll	Speed
0.00	-0.09	243.28	0.00	270	0	0	40.00
0.05	-0.08	240.36	0.00	270	0	0	39.69
0.10	-0.06	237.46	0.00	270	0	0	39.37
0.15	-0.05	234.58	0.00	270	0	0	39.06
0.20	-0.03	231.73	0.00	270	0	0	38.75
0.25	-0.02	228.90	0.00	270	0	0	38.43
0.30	0.00	226.09	0.00	270	0	0	38.12
0.35	0.01	223.31	0.00	270	0	0	37.80
0.40	0.03	220.55	0.00	270	0	0	37.49
0.45	0.04	217.81	0.00	270	0	0	37.18
0.50	0.06	215.10	0.00	270	0	0	36.86
0.55	0.07	212.40	0.00	270	0	0	36.55
0.60	0.08	209.73	0.00	270	0	0	36.24
0.65	0.10	207.09	0.00	270	0	0	35.92
0.70	0.11	204.47	0.00	270	0	0	35.61
0.75	0.13	201.87	0.00	270	0	0	35.29
0.80	0.14	199.29	0.00	270	0	0	34.98
0.85	0.15	196.74	0.00	270	0	0	34.67
0.90	0.17	194.21	0.00	270	0	0	34.35
0.95	0.18	191.70	0.00	270	0	0	34.04
1.00	0.19	189.21	0.00	270	0	0	33.73
1.05	0.21	186.75	0.00	270	0	0	33.41
1.10	0.22	184.31	0.00	270	0	0	33.10
1.15	0.23	181.90	0.00	270	0	0	32.78
1.20	0.25	179.50	0.00	270	0	0	32.47
1.25	0.26	177.13	0.00	270	0	0	32.16
1.30	0.27	174.79	0.00	270	0	0	31.84
1.35	0.28	172.46	0.00	270	0	0	31.53
1.40	0.30	170.16	0.00	270	0	0	31.22
1.45	0.31	167.89	0.00	270	0	0	30.90
1.50	0.32	165.63	0.00	270	0	0	30.59
1.55	0.33	163.40	0.00	270	0	0	30.27
1.60	0.34	161.19	0.00	270	0	0	29.96
1.65	0.36	159.01	0.00	270	0	0	29.65
1.70	0.37	156.84	0.00	270	0	0	29.33
1.75	0.38	154.70	0.00	270	0	0	29.02
1.80	0.39	152.59	0.00	270	0	0	28.71
1.85	0.40	150.49	0.00	270	0	0	28.39
1.90	0.41	148.42	0.00	270	0	0	28.08
1.95	0.42	146.38	0.00	270	0	0	27.76
2.00	0.43	144.35	0.00	270	0	0	27.45
2.05	0.45	142.35	0.00	270	0	0	27.14
2.10	0.46	140.37	0.00	270	0	0	26.82
2.15	0.47	138.42	0.00	270	0	0	26.51
2.20	0.48	136.48	0.00	270	0	0	26.20
2.25	0.49	134.57	0.00	270	0	0	25.88
2.30	0.50	132.69	0.00	270	0	0	25.57
2.35	0.51	130.82	0.00	270	0	0	25.26
2.40	0.52	128.98	0.00	270	0	0	24.94
2.45	0.53	127.17	0.00	270	0	0	24.63

No involved 2

Time	x	y	z	Yaw	Pitch	Roll	Speed
2.50	0.54	125.37	0.00	270	0	0	24.31
2.55	0.55	123.60	0.00	270	0	0	24.00
2.60	0.55	121.85	0.00	270	0	0	23.69
2.65	0.56	120.13	0.00	270	0	0	23.37
2.70	0.57	118.42	0.00	270	0	0	23.06
2.75	0.58	116.74	0.00	270	0	0	22.75
2.80	0.59	115.09	0.00	270	0	0	22.43
2.85	0.60	113.45	0.00	270	0	0	22.12
2.90	0.61	111.84	0.00	270	0	0	21.80
2.95	0.62	110.26	0.00	270	0	0	21.49
3.00	0.63	108.69	0.00	270	0	0	21.18
3.05	0.63	107.15	0.00	270	0	0	20.86
3.10	0.64	105.63	0.00	270	0	0	20.55
3.15	0.65	104.14	0.00	270	0	0	20.24
3.20	0.66	102.66	0.00	270	0	0	19.92
3.25	0.67	101.21	0.00	270	0	0	19.61
3.30	0.67	99.79	0.00	270	0	0	19.29
3.35	0.68	98.38	0.00	270	0	0	18.98
3.40	0.69	97.00	0.00	270	0	0	18.67
3.45	0.69	95.65	0.00	270	0	0	18.35
3.50	0.70	94.31	0.00	270	0	0	18.04
3.55	0.71	93.00	0.00	270	0	0	17.73
3.60	0.72	91.71	0.00	270	0	0	17.41
3.65	0.72	90.45	0.00	270	0	0	17.10
3.70	0.73	89.20	0.00	270	0	0	16.78
3.75	0.74	87.98	0.00	270	0	0	16.47
3.80	0.74	86.79	0.00	270	0	0	16.16
3.85	0.75	85.62	0.00	270	0	0	15.84
3.90	0.75	84.46	0.00	270	0	0	15.53
3.95	0.76	83.34	0.00	270	0	0	15.22
4.00	0.77	82.23	0.00	270	0	0	14.90
4.05	0.77	81.15	0.00	270	0	0	14.59
4.10	0.78	80.09	0.00	270	0	0	14.27
4.15	0.78	79.06	0.00	270	0	0	13.96
4.20	0.79	78.05	0.00	270	0	0	13.65
4.25	0.79	77.06	0.00	270	0	0	13.33
4.30	0.80	76.09	0.00	270	0	0	13.02
4.35	0.80	75.15	0.00	270	0	0	12.71
4.40	0.81	74.23	0.00	270	0	0	12.39
4.45	0.81	73.33	0.00	270	0	0	12.08
4.50	0.82	72.46	0.00	270	0	0	11.77
4.55	0.82	71.60	0.00	270	0	0	11.45
4.60	0.83	70.78	0.00	270	0	0	11.14
4.65	0.83	69.97	0.00	270	0	0	10.82
4.70	0.84	69.19	0.00	270	0	0	10.51
4.75	0.84	68.43	0.00	270	0	0	10.20
4.80	0.84	67.69	0.00	270	0	0	9.88
4.85	0.85	66.98	0.00	270	0	0	9.57
4.90	0.85	66.29	0.00	270	0	0	9.26
4.95	0.86	65.62	0.00	270	0	0	8.94

No involved 2

Time	x	y	z	Yaw	Pitch	Roll	Speed
5.00	0.86	64.98	0.00	270	0	0	8.63
5.05	0.86	64.36	0.00	270	0	0	8.31
5.10	0.87	63.76	0.00	270	0	0	8.00
5.15	0.87	63.18	0.00	270	0	0	7.69
5.20	0.87	62.63	0.00	270	0	0	7.37
5.25	0.87	62.10	0.00	270	0	0	7.06
5.30	0.88	61.60	0.00	270	0	0	6.75
5.35	0.88	61.11	0.00	270	0	0	6.43
5.40	0.88	60.65	0.00	270	0	0	6.12
5.45	0.88	60.22	0.00	270	0	0	5.80
5.50	0.89	59.80	0.00	270	0	0	5.49
5.55	0.89	59.41	0.00	270	0	0	5.18
5.60	0.89	59.04	0.00	270	0	0	4.86
5.65	0.89	58.70	0.00	270	0	0	4.55
5.70	0.89	58.37	0.00	270	0	0	4.24
5.75	0.90	58.08	0.00	270	0	0	3.92
5.80	0.90	57.80	0.00	270	0	0	3.61
5.85	0.90	57.55	0.00	270	0	0	3.29
5.90	0.90	57.32	0.00	270	0	0	2.98
5.95	0.90	57.11	0.00	270	0	0	2.67
6.00	0.90	56.93	0.00	270	0	0	2.35
6.05	0.90	56.76	0.00	270	0	0	2.04
6.10	0.90	56.63	0.00	270	0	0	1.73
6.15	0.90	56.51	0.00	270	0	0	1.41
6.20	0.90	56.42	0.00	270	0	0	1.10
6.25	0.91	56.35	0.00	270	0	0	0.78
6.30	0.91	56.30	0.00	270	0	0	0.47
6.35	0.91	56.28	0.00	270	0	0	0.16
6.40	0.91	56.28	0.00	270	0	0	0.00

not involved 1

Time	x	y	z	Yaw	Pitch	Roll	Speed
0.00	-0.09	271.28	0.00	271	0	0	43.00
0.05	-0.06	268.14	0.00	271	0	0	42.63
0.10	-0.03	265.03	0.00	271	0	0	42.26
0.15	0.01	261.94	0.00	271	0	0	41.89
0.20	0.04	258.88	0.00	271	0	0	41.52
0.25	0.07	255.85	0.00	271	0	0	41.15
0.30	0.11	252.85	0.00	271	0	0	40.78
0.35	0.14	249.87	0.00	271	0	0	40.41
0.40	0.17	246.92	0.00	271	0	0	40.04
0.45	0.20	244.00	0.00	271	0	0	39.67
0.50	0.24	241.10	0.00	271	0	0	39.30
0.55	0.27	238.24	0.00	271	0	0	38.93
0.60	0.30	235.40	0.00	271	0	0	38.55
0.65	0.33	232.58	0.00	271	0	0	38.18
0.70	0.36	229.80	0.00	271	0	0	37.81
0.75	0.39	227.04	0.00	271	0	0	37.44
0.80	0.42	224.30	0.00	271	0	0	37.07
0.85	0.45	221.60	0.00	271	0	0	36.70
0.90	0.48	218.92	0.00	271	0	0	36.33
0.95	0.51	216.27	0.00	271	0	0	35.96
1.00	0.54	213.65	0.00	271	0	0	35.59
1.05	0.56	211.05	0.00	271	0	0	35.22
1.10	0.59	208.48	0.00	271	0	0	34.85
1.15	0.62	205.94	0.00	271	0	0	34.48
1.20	0.65	203.43	0.00	271	0	0	34.11
1.25	0.67	200.94	0.00	271	0	0	33.74
1.30	0.70	198.48	0.00	271	0	0	33.37
1.35	0.73	196.04	0.00	271	0	0	33.00
1.40	0.75	193.64	0.00	271	0	0	32.63
1.45	0.78	191.26	0.00	271	0	0	32.26
1.50	0.81	188.91	0.00	271	0	0	31.89
1.55	0.83	186.58	0.00	271	0	0	31.52
1.60	0.86	184.29	0.00	271	0	0	31.15
1.65	0.88	182.02	0.00	271	0	0	30.78
1.70	0.91	179.77	0.00	271	0	0	30.40
1.75	0.93	177.56	0.00	271	0	0	30.03
1.80	0.95	175.37	0.00	271	0	0	29.66
1.85	0.98	173.21	0.00	271	0	0	29.29
1.90	1.00	171.07	0.00	271	0	0	28.92
1.95	1.02	168.96	0.00	271	0	0	28.55
2.00	1.05	166.88	0.00	271	0	0	28.18
2.05	1.07	164.83	0.00	271	0	0	27.81
2.10	1.09	162.81	0.00	271	0	0	27.44
2.15	1.11	160.81	0.00	271	0	0	27.07
2.20	1.13	158.83	0.00	271	0	0	26.70
2.25	1.16	156.89	0.00	271	0	0	26.33
2.30	1.18	154.97	0.00	271	0	0	25.96
2.35	1.20	153.08	0.00	271	0	0	25.59
2.40	1.22	151.22	0.00	271	0	0	25.22
2.45	1.24	149.39	0.00	271	0	0	24.85

not involved 1

Time	x	y	z	Yaw	Pitch	Roll	Speed
2.50	1.26	147.58	0.00	271	0	0	24.48
2.55	1.28	145.80	0.00	271	0	0	24.11
2.60	1.30	144.04	0.00	271	0	0	23.74
2.65	1.31	142.31	0.00	271	0	0	23.37
2.70	1.33	140.61	0.00	271	0	0	23.00
2.75	1.35	138.94	0.00	271	0	0	22.63
2.80	1.37	137.30	0.00	271	0	0	22.25
2.85	1.39	135.68	0.00	271	0	0	21.88
2.90	1.40	134.09	0.00	271	0	0	21.51
2.95	1.42	132.52	0.00	271	0	0	21.14
3.00	1.44	130.99	0.00	271	0	0	20.77
3.05	1.46	129.48	0.00	271	0	0	20.40
3.10	1.47	127.99	0.00	271	0	0	20.03
3.15	1.49	126.54	0.00	271	0	0	19.66
3.20	1.50	125.11	0.00	271	0	0	19.29
3.25	1.52	123.71	0.00	271	0	0	18.92
3.30	1.53	122.34	0.00	271	0	0	18.55
3.35	1.55	120.99	0.00	271	0	0	18.18
3.40	1.56	119.67	0.00	271	0	0	17.81
3.45	1.58	118.38	0.00	271	0	0	17.44
3.50	1.59	117.11	0.00	271	0	0	17.07
3.55	1.60	115.87	0.00	271	0	0	16.70
3.60	1.62	114.66	0.00	271	0	0	16.33
3.65	1.63	113.48	0.00	271	0	0	15.96
3.70	1.64	112.32	0.00	271	0	0	15.59
3.75	1.66	111.19	0.00	271	0	0	15.22
3.80	1.67	110.09	0.00	271	0	0	14.85
3.85	1.68	109.02	0.00	271	0	0	14.48
3.90	1.69	107.97	0.00	271	0	0	14.10
3.95	1.70	106.95	0.00	271	0	0	13.73
4.00	1.71	105.95	0.00	271	0	0	13.36
4.05	1.72	104.99	0.00	271	0	0	12.99
4.10	1.73	104.05	0.00	271	0	0	12.62
4.15	1.74	103.14	0.00	271	0	0	12.25
4.20	1.75	102.25	0.00	271	0	0	11.88
4.25	1.76	101.39	0.00	271	0	0	11.51
4.30	1.77	100.56	0.00	271	0	0	11.14
4.35	1.78	99.76	0.00	271	0	0	10.77
4.40	1.79	98.98	0.00	271	0	0	10.40
4.45	1.80	98.23	0.00	271	0	0	10.03
4.50	1.80	97.51	0.00	271	0	0	9.66
4.55	1.81	96.82	0.00	271	0	0	9.29
4.60	1.82	96.15	0.00	271	0	0	8.92
4.65	1.83	95.51	0.00	271	0	0	8.55
4.70	1.83	94.90	0.00	271	0	0	8.18
4.75	1.84	94.31	0.00	271	0	0	7.81
4.80	1.85	93.75	0.00	271	0	0	7.44
4.85	1.85	93.22	0.00	271	0	0	7.07
4.90	1.86	92.72	0.00	271	0	0	6.70
4.95	1.86	92.24	0.00	271	0	0	6.33

not involved 1

Time	x	y	z	Yaw	Pitch	Roll	Speed
5.00	1.87	91.79	0.00	271	0	0	5.95
5.05	1.87	91.36	0.00	271	0	0	5.58
5.10	1.88	90.97	0.00	271	0	0	5.21
5.15	1.88	90.60	0.00	271	0	0	4.84
5.20	1.88	90.26	0.00	271	0	0	4.47
5.25	1.89	89.94	0.00	271	0	0	4.10
5.30	1.89	89.66	0.00	271	0	0	3.73
5.35	1.89	89.40	0.00	271	0	0	3.36
5.40	1.90	89.16	0.00	271	0	0	2.99
5.45	1.90	88.96	0.00	271	0	0	2.62
5.50	1.90	88.78	0.00	271	0	0	2.25
5.55	1.90	88.63	0.00	271	0	0	1.88
5.60	1.90	88.50	0.00	271	0	0	1.51
5.65	1.90	88.41	0.00	271	0	0	1.14
5.70	1.90	88.34	0.00	271	0	0	0.77
5.75	1.91	88.29	0.00	271	0	0	0.40
5.80	1.91	88.28	0.00	271	0	0	0.03
5.85	1.91	88.28	0.00	271	0	0	0.00

PT Cruiser

Time	x	y	z	Yaw	Pitch	Roll	Speed
0.00	42.35	-223.53	0.00	91	0	0	0.00
0.05	42.35	-223.53	0.00	91	0	0	0.00
0.10	42.35	-223.53	0.00	91	0	0	0.00
0.15	42.35	-223.53	0.00	91	0	0	0.00
0.20	42.35	-223.53	0.00	91	0	0	0.00
0.25	42.35	-223.53	0.00	91	0	0	0.00
0.30	42.35	-223.53	0.00	91	0	0	0.00
0.35	42.35	-223.53	0.00	91	0	0	0.00
0.40	42.35	-223.53	0.00	91	0	0	0.00
0.45	42.35	-223.53	0.00	91	0	0	0.00
0.50	42.35	-223.53	0.00	91	0	0	0.00
0.55	42.35	-223.53	0.00	91	0	0	0.00
0.60	42.35	-223.53	0.00	91	0	0	0.00
0.65	42.35	-223.53	0.00	91	0	0	0.00
0.70	42.35	-223.53	0.00	91	0	0	0.00
0.75	42.35	-223.53	0.00	91	0	0	0.00
0.80	42.35	-223.53	0.00	91	0	0	0.00
0.85	42.35	-223.53	0.00	91	0	0	0.00
0.90	42.35	-223.53	0.00	91	0	0	0.00
0.95	42.35	-223.53	0.00	91	0	0	0.00
1.00	42.35	-223.53	0.00	91	0	0	0.00
1.05	42.35	-223.53	0.00	91	0	0	0.00
1.10	42.35	-223.53	0.00	91	0	0	0.00
1.15	42.35	-223.53	0.00	91	0	0	0.00
1.20	42.35	-223.53	0.00	91	0	0	0.00
1.25	42.35	-223.53	0.00	91	0	0	0.00
1.30	42.35	-223.53	0.00	91	0	0	0.00
1.35	42.35	-223.53	0.00	91	0	0	0.00
1.40	42.35	-223.53	0.00	91	0	0	0.00
1.45	42.35	-223.53	0.00	91	0	0	0.00
1.50	42.35	-223.53	0.00	91	0	0	0.00
1.55	42.35	-223.53	0.00	91	0	0	0.00
1.60	42.35	-223.53	0.00	91	0	0	0.00
1.65	42.35	-223.53	0.00	91	0	0	0.00
1.70	42.35	-223.53	0.00	91	0	0	0.00
1.75	42.35	-223.53	0.00	91	0	0	0.00
1.80	42.35	-223.53	0.00	91	0	0	0.00
1.85	42.35	-223.53	0.00	91	0	0	0.00
1.90	42.35	-223.53	0.00	91	0	0	0.00
1.95	42.35	-223.53	0.00	91	0	0	0.00
2.00	42.35	-223.53	0.00	91	0	0	0.00
2.05	42.35	-223.53	0.00	91	0	0	0.00
2.10	42.35	-223.53	0.00	91	0	0	0.00
2.15	42.35	-223.53	0.00	91	0	0	0.00
2.20	42.35	-223.53	0.00	91	0	0	0.00
2.25	42.35	-223.53	0.00	91	0	0	0.00
2.30	42.35	-223.53	0.00	91	0	0	0.00
2.35	42.35	-223.53	0.00	91	0	0	0.00
2.40	42.35	-223.53	0.00	91	0	0	0.00
2.45	42.35	-223.53	0.00	91	0	0	0.00

PT Cruiser

Time	x	y	z	Yaw	Pitch	Roll	Speed
2.50	42.35	-223.53	0.00	91	0	0	0.00
2.55	42.35	-223.53	0.00	91	0	0	0.00
2.60	42.35	-223.53	0.00	91	0	0	0.00
2.65	42.35	-223.53	0.00	91	0	0	0.00
2.70	42.35	-223.53	0.00	91	0	0	0.00
2.75	42.35	-223.53	0.00	91	0	0	0.00
2.80	42.35	-223.53	0.00	91	0	0	0.00
2.85	42.35	-223.53	0.00	91	0	0	0.00
2.90	42.35	-223.53	0.00	91	0	0	0.00
2.95	42.35	-223.53	0.00	91	0	0	0.00
3.00	42.35	-223.53	0.00	91	0	0	0.00
3.05	42.35	-223.53	0.00	91	0	0	0.00
3.10	42.35	-223.53	0.00	91	0	0	0.00
3.15	42.35	-223.53	0.00	91	0	0	0.00
3.20	42.35	-223.53	0.00	91	0	0	0.00
3.25	42.35	-223.53	0.00	91	0	0	0.00
3.30	42.35	-223.53	0.00	91	0	0	0.00
3.35	42.35	-223.53	0.00	91	0	0	0.00
3.40	42.35	-223.53	0.00	91	0	0	0.00
3.45	42.35	-223.53	0.00	91	0	0	0.00
3.50	42.35	-223.53	0.00	91	0	0	0.00
3.55	42.35	-223.53	0.00	91	0	0	0.00
3.60	42.35	-223.53	0.00	91	0	0	0.00
3.65	42.35	-223.53	0.00	91	0	0	0.00
3.70	42.35	-223.53	0.00	91	0	0	0.00
3.75	42.35	-223.53	0.00	91	0	0	0.00
3.80	42.35	-223.53	0.00	91	0	0	0.00
3.85	42.35	-223.53	0.00	91	0	0	0.00
3.90	42.35	-223.53	0.00	91	0	0	0.00
3.95	42.35	-223.53	0.00	91	0	0	0.00
4.00	42.35	-223.53	0.00	91	0	0	0.00
4.05	42.35	-223.53	0.00	91	0	0	0.00
4.10	42.35	-223.53	0.00	91	0	0	0.00
4.15	42.35	-223.53	0.00	91	0	0	0.00
4.20	42.35	-223.53	0.00	91	0	0	0.00
4.25	42.35	-223.53	0.00	91	0	0	0.00
4.30	42.35	-223.53	0.00	91	0	0	0.00
4.35	42.35	-223.53	0.00	91	0	0	0.00
4.40	42.35	-223.53	0.00	91	0	0	0.00
4.45	42.35	-223.53	0.00	91	0	0	0.00
4.50	42.35	-223.53	0.00	91	0	0	0.00
4.55	42.35	-223.53	0.00	91	0	0	0.00
4.60	42.35	-223.53	0.00	91	0	0	0.00
4.65	42.35	-223.53	0.00	91	0	0	0.00
4.70	42.35	-223.53	0.00	91	0	0	0.00
4.75	42.35	-223.53	0.00	91	0	0	0.00
4.80	42.35	-223.53	0.00	91	0	0	0.00
4.85	42.35	-223.53	0.00	91	0	0	0.00
4.90	42.35	-223.53	0.00	91	0	0	0.00
4.95	42.35	-223.53	0.00	91	0	0	0.00

PT Cruiser

Time	x	y	z	Yaw	Pitch	Roll	Speed
5.00	42.35	-223.53	0.00	91	0	0	0.00
5.05	42.35	-223.53	0.00	91	0	0	0.00
5.10	42.35	-223.53	0.00	91	0	0	0.00
5.15	42.35	-223.53	0.00	91	0	0	0.00
5.20	42.27	-219.47	0.00	91	0	0	59.85
5.25	42.19	-215.09	0.00	91	0	0	59.68
5.30	42.10	-210.72	0.00	91	0	0	59.52
5.35	42.02	-206.37	0.00	91	0	0	59.35
5.40	41.94	-202.02	0.00	91	0	0	59.19
5.45	41.86	-197.69	0.00	91	0	0	59.02
5.50	41.77	-193.36	0.00	91	0	0	58.86
5.55	41.69	-189.06	0.00	91	0	0	58.69
5.60	41.61	-184.76	0.00	91	0	0	58.53
5.65	41.53	-180.47	0.00	91	0	0	58.36
5.70	41.45	-176.20	0.00	91	0	0	58.20
5.75	41.37	-171.94	0.00	91	0	0	58.03
5.80	41.29	-167.69	0.00	91	0	0	57.87
5.85	41.20	-163.45	0.00	91	0	0	57.70
5.90	41.12	-159.23	0.00	91	0	0	57.54
5.95	41.04	-155.01	0.00	91	0	0	57.37
6.00	40.96	-150.81	0.00	91	0	0	57.21
6.05	40.88	-146.63	0.00	91	0	0	57.04
6.10	40.81	-142.45	0.00	91	0	0	56.88
6.15	40.73	-138.29	0.00	91	0	0	56.71
6.20	40.65	-134.13	0.00	91	0	0	56.55
6.25	40.57	-129.99	0.00	91	0	0	56.38
6.30	40.49	-125.86	0.00	91	0	0	56.22
6.35	40.41	-121.75	0.00	91	0	0	56.05
6.40	40.33	-117.64	0.00	91	0	0	55.89
6.45	40.26	-113.55	0.00	91	0	0	55.72
6.50	40.18	-109.47	0.00	91	0	0	55.56
6.55	40.10	-105.41	0.00	91	0	0	55.39
6.60	40.02	-101.35	0.00	91	0	0	55.23
6.65	39.95	-97.31	0.00	91	0	0	55.06
6.70	39.87	-93.28	0.00	91	0	0	54.90
6.75	39.79	-89.26	0.00	91	0	0	54.73
6.80	39.72	-85.25	0.00	91	0	0	54.57
6.85	39.64	-81.25	0.00	91	0	0	54.40
6.90	39.57	-77.27	0.00	91	0	0	54.24
6.95	39.49	-73.30	0.00	91	0	0	54.08
7.00	39.41	-69.34	0.00	91	0	0	53.91
7.05	39.34	-65.40	0.00	91	0	0	53.75
7.10	39.26	-61.46	0.00	91	0	0	53.58
7.15	39.19	-57.54	0.00	91	0	0	53.42
7.20	39.12	-53.63	0.00	91	0	0	53.25
7.25	39.04	-49.73	0.00	91	0	0	53.09
7.30	38.97	-45.84	0.00	91	0	0	52.92
7.35	38.89	-41.97	0.00	91	0	0	52.76
7.40	38.82	-38.11	0.00	91	0	0	52.59
7.45	38.75	-34.26	0.00	91	0	0	52.43

PT Cruiser

Time	x	y	z	Yaw	Pitch	Roll	Speed
7.50	38.67	-30.42	0.00	91	0	0	52.26
7.55	38.60	-26.59	0.00	91	0	0	52.10
7.60	38.53	-22.78	0.00	91	0	0	51.93
7.65	38.46	-18.98	0.00	91	0	0	51.77
7.70	38.38	-15.19	0.00	91	0	0	51.60
7.75	38.31	-11.41	0.00	91	0	0	51.44
7.80	38.24	-7.65	0.00	91	0	0	51.27
7.85	38.17	-3.89	0.00	91	0	0	51.11
7.90	38.10	-0.15	0.00	91	0	0	50.94
7.95	38.03	3.58	0.00	91	0	0	50.78
8.00	37.96	7.29	0.00	91	0	0	50.61
8.05	37.89	11.00	0.00	91	0	0	50.45
8.10	37.82	14.69	0.00	91	0	0	50.28
8.15	37.75	18.37	0.00	91	0	0	50.12
8.20	37.16	21.00	0.00	178	0	349	24.89
8.25	35.36	21.12	0.00	185	0	350	24.51
8.30	33.58	21.23	0.00	191	0	350	24.14
8.35	31.82	21.34	0.00	197	0	350	23.76
8.40	30.10	21.45	0.00	203	0	351	23.38
8.45	28.40	21.55	0.00	209	0	351	23.00
8.50	26.73	21.66	0.00	215	0	351	22.63
8.55	25.09	21.76	0.00	221	0	351	22.25
8.60	23.47	21.86	0.00	226	0	352	21.87
8.65	21.89	21.96	0.00	232	0	352	21.49
8.70	20.33	22.06	0.00	237	0	352	21.12
8.75	18.80	22.15	0.00	243	0	353	20.74
8.80	17.29	22.25	0.00	248	0	353	20.36
8.85	15.81	22.34	0.00	253	0	353	19.99
8.90	14.37	22.43	0.00	258	0	353	19.61
8.95	12.94	22.52	0.00	263	0	354	19.23
9.00	11.55	22.61	0.00	268	0	354	18.85
9.05	10.18	22.69	0.00	273	0	354	18.48
9.10	8.85	22.78	0.00	277	0	354	18.10
9.15	7.54	22.86	0.00	282	0	355	17.72
9.20	6.25	22.94	0.00	286	0	355	17.35
9.25	5.00	23.02	0.00	291	0	355	16.97
9.30	3.77	23.10	0.00	295	0	355	16.59
9.35	2.57	23.17	0.00	299	0	355	16.21
9.40	1.39	23.25	0.00	303	0	356	15.84
9.45	0.25	23.32	0.00	307	0	356	15.46
9.50	-0.87	23.39	0.00	311	0	356	15.08
9.55	-1.96	23.46	0.00	315	0	356	14.71
9.60	-3.02	23.52	0.00	319	0	356	14.33
9.65	-4.06	23.59	0.00	322	0	357	13.95
9.70	-5.06	23.65	0.00	326	0	357	13.57
9.75	-6.04	23.71	0.00	329	0	357	13.20
9.80	-6.99	23.77	0.00	333	0	357	12.82
9.85	-7.92	23.83	0.00	336	0	357	12.44
9.90	-8.82	23.88	0.00	339	0	357	12.06
9.95	-9.69	23.94	0.00	342	0	358	11.69

PT Cruiser

Time	x	y	z	Yaw	Pitch	Roll	Speed
10.00	-10.53	23.99	0.00	345	0	358	11.31
10.05	-11.34	24.04	0.00	348	0	358	10.93
10.10	-12.13	24.09	0.00	351	0	358	10.56
10.15	-12.89	24.14	0.00	353	0	358	10.18
10.20	-13.62	24.19	0.00	356	0	358	9.80
10.25	-14.32	24.23	0.00	358	0	358	9.42
10.30	-15.00	24.27	0.00	1	0	359	9.05
10.35	-15.65	24.31	0.00	3	0	359	8.67
10.40	-16.27	24.35	0.00	5	0	359	8.29
10.45	-16.86	24.39	0.00	7	0	359	7.92
10.50	-17.42	24.42	0.00	9	0	359	7.54
10.55	-17.96	24.46	0.00	11	0	359	7.16
10.60	-18.47	24.49	0.00	13	0	359	6.78
10.65	-18.96	24.52	0.00	15	0	359	6.41
10.70	-19.41	24.55	0.00	16	0	359	6.03
10.75	-19.84	24.58	0.00	18	0	359	5.65
10.80	-20.24	24.60	0.00	19	0	360	5.28
10.85	-20.61	24.62	0.00	20	0	360	4.90
10.90	-20.95	24.65	0.00	22	0	360	4.52
10.95	-21.27	24.67	0.00	23	0	360	4.14
11.00	-21.56	24.68	0.00	24	0	360	3.77
11.05	-21.82	24.70	0.00	25	0	360	3.39
11.10	-22.06	24.71	0.00	25	0	360	3.01
11.15	-22.26	24.73	0.00	26	0	360	2.63
11.20	-22.44	24.74	0.00	27	0	360	2.26
11.25	-22.59	24.75	0.00	27	0	360	1.88
11.30	-22.72	24.76	0.00	28	0	360	1.50
11.35	-22.81	24.76	0.00	28	0	360	1.13
11.40	-22.88	24.77	0.00	28	0	360	0.75
11.45	-22.92	24.77	0.00	28	0	360	0.37
11.50	-22.94	24.77	0.00	29	0	0	0.00

Subaru

Time	x	y	z	Yaw	Pitch	Roll	Speed
0.00	375.76	27.67	0.00	180	0	0	0.00
0.05	375.76	27.67	0.00	180	0	0	0.00
0.10	375.76	27.67	0.00	180	0	0	0.00
0.15	375.76	27.67	0.00	180	0	0	0.00
0.20	375.76	27.67	0.00	180	0	0	0.00
0.25	375.76	27.67	0.00	180	0	0	0.00
0.30	375.76	27.67	0.00	180	0	0	0.00
0.35	375.76	27.67	0.00	180	0	0	0.00
0.40	375.76	27.67	0.00	180	0	0	0.00
0.45	375.76	27.67	0.00	180	0	0	0.00
0.50	375.76	27.67	0.00	180	0	0	0.00
0.55	375.76	27.67	0.00	180	0	0	0.00
0.60	375.76	27.67	0.00	180	0	0	0.00
0.65	375.76	27.67	0.00	180	0	0	0.00
0.70	375.46	27.67	0.00	180	0	0	30.00
0.75	373.26	27.66	0.00	180	0	0	30.00
0.80	371.06	27.66	0.00	180	0	0	30.00
0.85	368.86	27.65	0.00	180	0	0	30.00
0.90	366.66	27.65	0.00	180	0	0	30.00
0.95	364.46	27.64	0.00	180	0	0	30.00
1.00	362.26	27.64	0.00	180	0	0	30.00
1.05	360.06	27.63	0.00	180	0	0	30.00
1.10	357.86	27.63	0.00	180	0	0	30.00
1.15	355.66	27.62	0.00	180	0	0	30.00
1.20	353.46	27.62	0.00	180	0	0	30.00
1.25	351.26	27.62	0.00	180	0	0	30.00
1.30	349.06	27.61	0.00	180	0	0	30.00
1.35	346.86	27.61	0.00	180	0	0	30.00
1.40	344.66	27.60	0.00	180	0	0	30.00
1.45	342.46	27.60	0.00	180	0	0	30.00
1.50	340.26	27.59	0.00	180	0	0	30.00
1.55	338.06	27.59	0.00	180	0	0	30.00
1.60	335.86	27.58	0.00	180	0	0	30.00
1.65	333.66	27.58	0.00	180	0	0	30.00
1.70	331.46	27.57	0.00	180	0	0	30.00
1.75	329.26	27.57	0.00	180	0	0	30.00
1.80	327.06	27.57	0.00	180	0	0	30.00
1.85	324.86	27.56	0.00	180	0	0	30.00
1.90	322.66	27.56	0.00	180	0	0	30.00
1.95	320.46	27.55	0.00	180	0	0	30.00
2.00	318.26	27.55	0.00	180	0	0	30.00
2.05	316.06	27.54	0.00	180	0	0	30.00
2.10	313.86	27.54	0.00	180	0	0	30.00
2.15	311.66	27.53	0.00	180	0	0	30.00
2.20	309.46	27.53	0.00	180	0	0	30.00
2.25	307.26	27.52	0.00	180	0	0	30.00
2.30	305.06	27.52	0.00	180	0	0	30.00
2.35	302.86	27.51	0.00	180	0	0	30.00
2.40	300.66	27.51	0.00	180	0	0	30.00
2.45	298.46	27.51	0.00	180	0	0	30.00

Subaru

Time	x	y	z	Yaw	Pitch	Roll	Speed
2.50	296.26	27.50	0.00	180	0	0	30.00
2.55	294.06	27.50	0.00	180	0	0	30.00
2.60	291.86	27.49	0.00	180	0	0	30.00
2.65	289.66	27.49	0.00	180	0	0	30.00
2.70	287.46	27.48	0.00	180	0	0	30.00
2.75	285.26	27.48	0.00	180	0	0	30.00
2.80	283.06	27.47	0.00	180	0	0	30.00
2.85	280.86	27.47	0.00	180	0	0	30.00
2.90	278.66	27.46	0.00	180	0	0	30.00
2.95	276.46	27.46	0.00	180	0	0	30.00
3.00	274.26	27.45	0.00	180	0	0	30.00
3.05	272.06	27.45	0.00	180	0	0	30.00
3.10	269.86	27.45	0.00	180	0	0	30.00
3.15	267.66	27.44	0.00	180	0	0	30.00
3.20	265.46	27.44	0.00	180	0	0	30.00
3.25	263.26	27.43	0.00	180	0	0	30.00
3.30	261.06	27.43	0.00	180	0	0	30.00
3.35	258.86	27.42	0.00	180	0	0	30.00
3.40	256.66	27.42	0.00	180	0	0	30.00
3.45	254.46	27.41	0.00	180	0	0	30.00
3.50	252.26	27.41	0.00	180	0	0	30.00
3.55	250.06	27.40	0.00	180	0	0	30.00
3.60	247.86	27.40	0.00	180	0	0	30.00
3.65	245.66	27.40	0.00	180	0	0	30.00
3.70	243.46	27.39	0.00	180	0	0	30.00
3.75	241.26	27.39	0.00	180	0	0	30.00
3.80	239.06	27.38	0.00	180	0	0	30.00
3.85	236.86	27.38	0.00	180	0	0	30.00
3.90	234.66	27.37	0.00	180	0	0	30.00
3.95	232.46	27.37	0.00	180	0	0	30.00
4.00	230.26	27.36	0.00	180	0	0	30.00
4.05	228.06	27.36	0.00	180	0	0	30.00
4.10	225.86	27.35	0.00	180	0	0	30.00
4.15	223.66	27.35	0.00	180	0	0	30.00
4.20	221.46	27.34	0.00	180	0	0	30.00
4.25	219.26	27.34	0.00	180	0	0	30.00
4.30	217.06	27.34	0.00	180	0	0	30.00
4.35	214.86	27.33	0.00	180	0	0	30.00
4.40	212.66	27.33	0.00	180	0	0	30.00
4.45	210.46	27.32	0.00	180	0	0	30.00
4.50	208.26	27.32	0.00	180	0	0	30.00
4.55	206.06	27.31	0.00	180	0	0	30.00
4.60	203.86	27.31	0.00	180	0	0	30.00
4.65	201.66	27.30	0.00	180	0	0	30.00
4.70	199.46	27.30	0.00	180	0	0	30.00
4.75	197.26	27.29	0.00	180	0	0	30.00
4.80	195.06	27.29	0.00	180	0	0	30.00
4.85	192.86	27.29	0.00	180	0	0	30.00
4.90	190.66	27.28	0.00	180	0	0	30.00
4.95	188.46	27.28	0.00	180	0	0	30.00

Subaru

Time	x	y	z	Yaw	Pitch	Roll	Speed
5.00	186.26	27.27	0.00	180	0	0	30.00
5.05	184.06	27.27	0.00	180	0	0	30.00
5.10	181.86	27.26	0.00	180	0	0	30.00
5.15	179.66	27.26	0.00	180	0	0	30.00
5.20	177.46	27.25	0.00	180	0	0	30.00
5.25	175.26	27.25	0.00	180	0	0	30.00
5.30	173.06	27.24	0.00	180	0	0	30.00
5.35	170.86	27.24	0.00	180	0	0	30.00
5.40	168.66	27.23	0.00	180	0	0	30.00
5.45	166.46	27.23	0.00	180	0	0	30.00
5.50	164.26	27.23	0.00	180	0	0	30.00
5.55	162.06	27.22	0.00	180	0	0	30.00
5.60	159.86	27.22	0.00	180	0	0	30.00
5.65	157.66	27.21	0.00	180	0	0	30.00
5.70	155.46	27.21	0.00	180	0	0	30.00
5.75	153.26	27.20	0.00	180	0	0	30.00
5.80	151.06	27.20	0.00	180	0	0	30.00
5.85	148.86	27.19	0.00	180	0	0	30.00
5.90	146.66	27.19	0.00	180	0	0	30.00
5.95	144.46	27.18	0.00	180	0	0	30.00
6.00	142.26	27.18	0.00	180	0	0	30.00
6.05	140.06	27.17	0.00	180	0	0	30.00
6.10	137.86	27.17	0.00	180	0	0	30.00
6.15	135.66	27.17	0.00	180	0	0	30.00
6.20	133.46	27.16	0.00	180	0	0	30.00
6.25	131.26	27.16	0.00	180	0	0	30.00
6.30	129.06	27.15	0.00	180	0	0	30.00
6.35	126.86	27.15	0.00	180	0	0	30.00
6.40	124.66	27.14	0.00	180	0	0	30.00
6.45	122.46	27.14	0.00	180	0	0	30.00
6.50	120.26	27.13	0.00	180	0	0	30.00
6.55	118.06	27.13	0.00	180	0	0	30.00
6.60	115.86	27.12	0.00	180	0	0	30.00
6.65	113.66	27.12	0.00	180	0	0	30.00
6.70	111.46	27.12	0.00	180	0	0	30.00
6.75	109.26	27.11	0.00	180	0	0	30.00
6.80	107.06	27.11	0.00	180	0	0	30.00
6.85	104.86	27.10	0.00	180	0	0	30.00
6.90	102.66	27.10	0.00	180	0	0	30.00
6.95	100.46	27.09	0.00	180	0	0	30.00
7.00	98.26	27.09	0.00	180	0	0	30.00
7.05	96.06	27.08	0.00	180	0	0	30.00
7.10	93.86	27.08	0.00	180	0	0	30.00
7.15	91.66	27.07	0.00	180	0	0	30.00
7.20	89.46	27.07	0.00	180	0	0	30.00
7.25	87.26	27.06	0.00	180	0	0	30.00
7.30	85.06	27.06	0.00	180	0	0	30.00
7.35	82.86	27.06	0.00	180	0	0	30.00
7.40	80.66	27.05	0.00	180	0	0	30.00
7.45	78.46	27.05	0.00	180	0	0	30.00

Subaru

Time	x	y	z	Yaw	Pitch	Roll	Speed
7.50	76.26	27.04	0.00	180	0	0	30.00
7.55	74.06	27.04	0.00	180	0	0	30.00
7.60	71.86	27.03	0.00	180	0	0	30.00
7.65	69.66	27.03	0.00	180	0	0	30.00
7.70	67.46	27.02	0.00	180	0	0	30.00
7.75	65.26	27.02	0.00	180	0	0	30.00
7.80	63.06	27.01	0.00	180	0	0	30.00
7.85	60.86	27.01	0.00	180	0	0	30.00
7.90	58.66	27.01	0.00	180	0	0	30.00
7.95	56.46	27.00	0.00	180	0	0	30.00
8.00	54.26	27.00	0.00	180	0	0	30.00
8.05	52.06	26.99	0.00	180	0	0	30.00
8.10	49.86	26.99	0.00	180	0	0	30.00
8.15	47.66	26.98	0.00	180	0	0	30.00
8.20	45.47	27.03	0.00	181	0	358	29.93
8.25	43.29	27.22	0.00	184	0	349	29.67
8.30	41.13	27.40	0.00	186	0	341	29.42
8.35	38.99	27.59	0.00	189	0	333	29.17
8.40	36.87	27.77	0.00	192	0	325	28.91
8.45	34.76	27.95	0.00	194	0	317	28.66
8.50	32.68	28.12	0.00	197	0	309	28.40
8.55	30.61	28.30	0.00	199	0	301	28.15
8.60	28.57	28.48	0.00	202	0	293	27.90
8.65	26.54	28.65	0.00	205	0	285	27.64
8.70	24.53	28.82	0.00	207	0	278	27.39
8.75	22.53	28.99	0.00	210	0	270	27.14
8.80	20.56	29.16	0.00	212	0	262	26.88
8.85	18.60	29.33	0.00	215	0	255	26.63
8.90	16.67	29.49	0.00	217	0	248	26.38
8.95	14.75	29.66	0.00	219	0	240	26.12
9.00	12.85	29.82	0.00	222	0	233	25.87
9.05	10.97	29.98	0.00	224	0	226	25.62
9.10	9.11	30.14	0.00	227	0	219	25.36
9.15	7.26	30.29	0.00	229	0	212	25.11
9.20	5.44	30.45	0.00	231	0	205	24.86
9.25	3.63	30.60	0.00	233	0	198	24.60
9.30	1.84	30.76	0.00	236	0	191	24.35
9.35	0.07	30.91	0.00	238	0	184	24.10
9.40	-1.68	31.06	0.00	240	0	178	23.84
9.45	-3.41	31.21	0.00	242	0	171	23.59
9.50	-5.13	31.35	0.00	244	0	164	23.33
9.55	-6.82	31.50	0.00	247	0	158	23.08
9.60	-8.50	31.64	0.00	249	0	151	22.83
9.65	-10.16	31.78	0.00	251	0	145	22.57
9.70	-11.80	31.92	0.00	253	0	139	22.32
9.75	-13.42	32.06	0.00	255	0	133	22.07
9.80	-15.02	32.20	0.00	257	0	127	21.81
9.85	-16.61	32.33	0.00	259	0	120	21.56
9.90	-18.17	32.47	0.00	261	0	115	21.31
9.95	-19.72	32.60	0.00	263	0	109	21.05

Subaru

Time	x	y	z	Yaw	Pitch	Roll	Speed
10.00	-21.25	32.73	0.00	265	0	103	20.80
10.05	-22.76	32.86	0.00	267	0	97	20.55
10.10	-24.25	32.98	0.00	268	0	91	20.29
10.15	-25.73	33.11	0.00	270	0	86	20.04
10.20	-27.18	33.22	0.00	272	0	74	19.71
10.25	-28.61	33.32	0.00	273	0	62	19.37
10.30	-30.01	33.42	0.00	273	0	50	19.03
10.35	-31.39	33.52	0.00	274	0	39	18.69
10.40	-32.75	33.62	0.00	275	0	28	18.35
10.45	-34.08	33.72	0.00	276	0	17	18.01
10.50	-35.38	33.81	0.00	276	0	6	17.67
10.55	-36.66	33.90	0.00	277	0	356	17.33
10.60	-37.92	33.99	0.00	278	0	345	17.00
10.65	-39.15	34.08	0.00	278	0	335	16.66
10.70	-40.36	34.17	0.00	279	0	325	16.32
10.75	-41.54	34.26	0.00	279	0	315	15.98
10.80	-42.69	34.34	0.00	280	0	306	15.64
10.85	-43.82	34.42	0.00	281	0	297	15.30
10.90	-44.93	34.50	0.00	281	0	287	14.96
10.95	-46.01	34.58	0.00	282	0	278	14.62
11.00	-47.07	34.66	0.00	282	0	270	14.28
11.05	-48.10	34.73	0.00	283	0	261	13.94
11.10	-49.11	34.80	0.00	283	0	253	13.60
11.15	-50.09	34.87	0.00	284	0	245	13.26
11.20	-51.05	34.94	0.00	284	0	237	12.92
11.25	-51.98	35.01	0.00	285	0	229	12.58
11.30	-52.89	35.08	0.00	285	0	222	12.24
11.35	-53.77	35.14	0.00	286	0	214	11.90
11.40	-54.63	35.20	0.00	286	0	207	11.56
11.45	-55.46	35.26	0.00	287	0	201	11.22
11.50	-56.27	35.32	0.00	287	0	194	10.88
11.55	-57.05	35.38	0.00	287	0	187	10.54
11.60	-57.81	35.43	0.00	288	0	181	10.20
11.65	-58.54	35.50	-0.04	287	0	177	9.92
11.70	-59.25	35.58	-0.14	289	1	177	9.72
11.75	-59.95	35.66	-0.23	292	1	176	9.52
11.80	-60.63	35.74	-0.33	294	1	176	9.32
11.85	-61.29	35.82	-0.42	296	2	176	9.12
11.90	-61.94	35.90	-0.51	299	2	175	8.93
11.95	-62.58	35.97	-0.60	301	2	175	8.73
12.00	-63.20	36.04	-0.68	303	3	175	8.53
12.05	-63.81	36.11	-0.77	305	3	174	8.33
12.10	-64.40	36.18	-0.85	307	3	174	8.13
12.15	-64.98	36.25	-0.93	309	4	174	7.93
12.20	-65.55	36.32	-1.00	311	4	174	7.73
12.25	-66.10	36.38	-1.08	313	4	173	7.54
12.30	-66.64	36.44	-1.15	315	5	173	7.34
12.35	-67.16	36.51	-1.23	317	5	173	7.14
12.40	-67.67	36.56	-1.30	318	5	173	6.94
12.45	-68.16	36.62	-1.36	320	5	172	6.74

Subaru

Time	x	y	z	Yaw	Pitch	Roll	Speed
12.50	-68.64	36.68	-1.43	322	6	172	6.54
12.55	-69.11	36.73	-1.49	323	6	172	6.34
12.60	-69.56	36.78	-1.56	325	6	172	6.14
12.65	-69.99	36.84	-1.62	327	6	172	5.95
12.70	-70.41	36.89	-1.67	328	7	171	5.75
12.75	-70.82	36.93	-1.73	329	7	171	5.55
12.80	-71.21	36.98	-1.78	331	7	171	5.35
12.85	-71.59	37.02	-1.84	332	7	171	5.15
12.90	-71.96	37.07	-1.89	333	7	171	4.95
12.95	-72.31	37.11	-1.93	335	8	171	4.75
13.00	-72.64	37.15	-1.98	336	8	170	4.56
13.05	-72.97	37.18	-2.03	337	8	170	4.36
13.10	-73.27	37.22	-2.07	338	8	170	4.16
13.15	-73.57	37.25	-2.11	339	8	170	3.96
13.20	-73.84	37.29	-2.15	340	8	170	3.76
13.25	-74.11	37.32	-2.18	341	9	170	3.56
13.30	-74.36	37.35	-2.22	342	9	170	3.36
13.35	-74.59	37.37	-2.25	343	9	170	3.16
13.40	-74.82	37.40	-2.28	343	9	169	2.97
13.45	-75.02	37.42	-2.31	344	9	169	2.77
13.50	-75.22	37.45	-2.34	345	9	169	2.57
13.55	-75.39	37.47	-2.36	345	9	169	2.37
13.60	-75.56	37.49	-2.38	346	9	169	2.17
13.65	-75.71	37.50	-2.40	346	9	169	1.97
13.70	-75.84	37.52	-2.42	347	10	169	1.77
13.75	-75.96	37.53	-2.44	347	10	169	1.58
13.80	-76.07	37.55	-2.45	348	10	169	1.38
13.85	-76.16	37.56	-2.47	348	10	169	1.18
13.90	-76.24	37.57	-2.48	348	10	169	0.98
13.95	-76.30	37.57	-2.48	349	10	169	0.78
14.00	-76.35	37.58	-2.49	349	10	169	0.58
14.05	-76.39	37.58	-2.50	349	10	169	0.38
14.10	-76.41	37.58	-2.50	349	10	169	0.19
14.15	-76.41	37.59	-2.50	349	10	169	0.00

Pedestrian

Time	x	y	z	Yaw	Pitch	Roll	Speed
0.00	-24.60	-19.90	0.00	90	0	0	3.50
0.05	-24.60	-19.64	0.00	90	0	0	3.50
0.10	-24.61	-19.38	0.00	90	0	0	3.50
0.15	-24.61	-19.13	0.00	90	0	0	3.50
0.20	-24.61	-18.87	0.00	90	0	0	3.50
0.25	-24.61	-18.61	0.00	90	0	0	3.50
0.30	-24.61	-18.36	0.00	90	0	0	3.50
0.35	-24.61	-18.10	0.00	90	0	0	3.50
0.40	-24.61	-17.84	0.00	90	0	0	3.50
0.45	-24.61	-17.59	0.00	90	0	0	3.50
0.50	-24.61	-17.33	0.00	90	0	0	3.50
0.55	-24.61	-17.07	0.00	90	0	0	3.50
0.60	-24.61	-16.82	0.00	90	0	0	3.50
0.65	-24.61	-16.56	0.00	90	0	0	3.50
0.70	-24.62	-16.30	0.00	90	0	0	3.50
0.75	-24.62	-16.05	0.00	90	0	0	3.50
0.80	-24.62	-15.79	0.00	90	0	0	3.50
0.85	-24.62	-15.53	0.00	90	0	0	3.50
0.90	-24.62	-15.28	0.00	90	0	0	3.50
0.95	-24.62	-15.02	0.00	90	0	0	3.50
1.00	-24.62	-14.76	0.00	90	0	0	3.50
1.05	-24.62	-14.51	0.00	90	0	0	3.50
1.10	-24.62	-14.25	0.00	90	0	0	3.50
1.15	-24.62	-13.99	0.00	90	0	0	3.50
1.20	-24.62	-13.74	0.00	90	0	0	3.50
1.25	-24.62	-13.48	0.00	90	0	0	3.50
1.30	-24.62	-13.22	0.00	90	0	0	3.50
1.35	-24.63	-12.97	0.00	90	0	0	3.50
1.40	-24.63	-12.71	0.00	90	0	0	3.50
1.45	-24.63	-12.45	0.00	90	0	0	3.50
1.50	-24.63	-12.20	0.00	90	0	0	3.50
1.55	-24.63	-11.94	0.00	90	0	0	3.50
1.60	-24.63	-11.68	0.00	90	0	0	3.50
1.65	-24.63	-11.43	0.00	90	0	0	3.50
1.70	-24.63	-11.17	0.00	90	0	0	3.50
1.75	-24.63	-10.91	0.00	90	0	0	3.50
1.80	-24.63	-10.66	0.00	90	0	0	3.50
1.85	-24.63	-10.40	0.00	90	0	0	3.50
1.90	-24.63	-10.14	0.00	90	0	0	3.50
1.95	-24.63	-9.89	0.00	90	0	0	3.50
2.00	-24.64	-9.63	0.00	90	0	0	3.50
2.05	-24.64	-9.37	0.00	90	0	0	3.50
2.10	-24.64	-9.12	0.00	90	0	0	3.50
2.15	-24.64	-8.86	0.00	90	0	0	3.50
2.20	-24.64	-8.60	0.00	90	0	0	3.50
2.25	-24.64	-8.35	0.00	90	0	0	3.50
2.30	-24.64	-8.09	0.00	90	0	0	3.50
2.35	-24.64	-7.83	0.00	90	0	0	3.50
2.40	-24.64	-7.58	0.00	90	0	0	3.50
2.45	-24.64	-7.32	0.00	90	0	0	3.50

Pedestrian

Time	x	y	z	Yaw	Pitch	Roll	Speed
2.50	-24.64	-7.06	0.00	90	0	0	3.50
2.55	-24.64	-6.81	0.00	90	0	0	3.50
2.60	-24.64	-6.55	0.00	90	0	0	3.50
2.65	-24.65	-6.29	0.00	90	0	0	3.50
2.70	-24.65	-6.04	0.00	90	0	0	3.50
2.75	-24.65	-5.78	0.00	90	0	0	3.50
2.80	-24.65	-5.52	0.00	90	0	0	3.50
2.85	-24.65	-5.27	0.00	90	0	0	3.50
2.90	-24.65	-5.01	0.00	90	0	0	3.50
2.95	-24.65	-4.75	0.00	90	0	0	3.50
3.00	-24.65	-4.50	0.00	90	0	0	3.50
3.05	-24.65	-4.24	0.00	90	0	0	3.50
3.10	-24.65	-3.98	0.00	90	0	0	3.50
3.15	-24.65	-3.73	0.00	90	0	0	3.50
3.20	-24.65	-3.47	0.00	90	0	0	3.50
3.25	-24.66	-3.21	0.00	90	0	0	3.50
3.30	-24.66	-2.96	0.00	90	0	0	3.50
3.35	-24.66	-2.70	0.00	90	0	0	3.50
3.40	-24.66	-2.44	0.00	90	0	0	3.50
3.45	-24.66	-2.19	0.00	90	0	0	3.50
3.50	-24.66	-1.93	0.00	90	0	0	3.50
3.55	-24.66	-1.67	0.00	90	0	0	3.50
3.60	-24.66	-1.42	0.00	90	0	0	3.50
3.65	-24.66	-1.16	0.00	90	0	0	3.50
3.70	-24.66	-0.90	0.00	90	0	0	3.50
3.75	-24.66	-0.65	0.00	90	0	0	3.50
3.80	-24.66	-0.39	0.00	90	0	0	3.50
3.85	-24.66	-0.13	0.00	90	0	0	3.50
3.90	-24.67	0.12	0.00	90	0	0	3.50
3.95	-24.67	0.38	0.00	90	0	0	3.50
4.00	-24.67	0.64	0.00	90	0	0	3.50
4.05	-24.67	0.89	0.00	90	0	0	3.50
4.10	-24.67	1.15	0.00	90	0	0	3.50
4.15	-24.67	1.41	0.00	90	0	0	3.50
4.20	-24.67	1.66	0.00	90	0	0	3.50
4.25	-24.67	1.92	0.00	90	0	0	3.50
4.30	-24.67	2.18	0.00	90	0	0	3.50
4.35	-24.67	2.43	0.00	90	0	0	3.50
4.40	-24.67	2.69	0.00	90	0	0	3.50
4.45	-24.67	2.95	0.00	90	0	0	3.50
4.50	-24.67	3.20	0.00	90	0	0	3.50
4.55	-24.68	3.46	0.00	90	0	0	3.50
4.60	-24.68	3.72	0.00	90	0	0	3.50
4.65	-24.68	3.97	0.00	90	0	0	3.50
4.70	-24.68	4.23	0.00	90	0	0	3.50
4.75	-24.68	4.49	0.00	90	0	0	3.50
4.80	-24.68	4.74	0.00	90	0	0	3.50
4.85	-24.68	5.00	0.00	90	0	0	3.50
4.90	-24.68	5.26	0.00	90	0	0	3.50
4.95	-24.68	5.51	0.00	90	0	0	3.50

Pedestrian

Time	x	y	z	Yaw	Pitch	Roll	Speed
5.00	-24.68	5.77	0.00	90	0	0	3.50
5.05	-24.68	6.03	0.00	90	0	0	3.50
5.10	-24.68	6.28	0.00	90	0	0	3.50
5.15	-24.69	6.54	0.00	90	0	0	3.50
5.20	-24.69	6.80	0.00	90	0	0	3.50
5.25	-24.69	7.05	0.00	90	0	0	3.50
5.30	-24.69	7.31	0.00	90	0	0	3.50
5.35	-24.69	7.57	0.00	90	0	0	3.50
5.40	-24.69	7.82	0.00	90	0	0	3.50
5.45	-24.69	8.08	0.00	90	0	0	3.50
5.50	-24.69	8.34	0.00	90	0	0	3.50
5.55	-24.69	8.59	0.00	90	0	0	3.50
5.60	-24.69	8.85	0.00	90	0	0	3.50
5.65	-24.69	9.11	0.00	90	0	0	3.50
5.70	-24.69	9.36	0.00	90	0	0	3.50
5.75	-24.69	9.62	0.00	90	0	0	3.50
5.80	-24.70	9.88	0.00	90	0	0	3.50
5.85	-24.70	10.13	0.00	90	0	0	3.50
5.90	-24.70	10.39	0.00	90	0	0	3.50
5.95	-24.70	10.65	0.00	90	0	0	3.50
6.00	-24.70	10.90	0.00	90	0	0	3.50
6.05	-24.70	11.16	0.00	90	0	0	3.50
6.10	-24.70	11.42	0.00	90	0	0	3.50
6.15	-24.70	11.67	0.00	90	0	0	3.50
6.20	-24.70	11.93	0.00	90	0	0	3.50
6.25	-24.70	12.19	0.00	90	0	0	3.50
6.30	-24.70	12.44	0.00	90	0	0	3.50
6.35	-24.70	12.70	0.00	90	0	0	3.50
6.40	-24.70	12.96	0.00	90	0	0	3.50
6.45	-24.71	13.21	0.00	90	0	0	3.50
6.50	-24.71	13.47	0.00	90	0	0	3.50
6.55	-24.71	13.73	0.00	90	0	0	3.50
6.60	-24.71	13.98	0.00	90	0	0	3.50
6.65	-24.71	14.24	0.00	90	0	0	3.50
6.70	-24.71	14.50	0.00	90	0	0	3.50
6.75	-24.71	14.75	0.00	90	0	0	3.50
6.80	-24.71	15.01	0.00	90	0	0	3.50
6.85	-24.71	15.27	0.00	90	0	0	3.50
6.90	-24.71	15.52	0.00	90	0	0	3.50
6.95	-24.71	15.78	0.00	90	0	0	3.50
7.00	-24.71	16.04	0.00	90	0	0	3.50
7.05	-24.71	16.29	0.00	90	0	0	3.50
7.10	-24.72	16.55	0.00	90	0	0	3.50
7.15	-24.72	16.81	0.00	90	0	0	3.50
7.20	-24.72	17.06	0.00	90	0	0	3.50
7.25	-24.72	17.32	0.00	90	0	0	3.50
7.30	-24.72	17.58	0.00	90	0	0	3.50
7.35	-24.72	17.83	0.00	90	0	0	3.50
7.40	-24.72	18.09	0.00	90	0	0	3.50
7.45	-24.72	18.35	0.00	90	0	0	3.50

Pedestrian

Time	x	y	z	Yaw	Pitch	Roll	Speed
7.50	-24.72	18.60	0.00	90	0	0	3.50
7.55	-24.72	18.86	0.00	90	0	0	3.50
7.60	-24.72	19.12	0.00	90	0	0	3.50
7.65	-24.72	19.37	0.00	90	0	0	3.50
7.70	-24.73	19.63	0.00	90	0	0	3.50
7.75	-24.73	19.89	0.00	90	0	0	3.50
7.80	-24.73	20.14	0.00	90	0	0	3.50
7.85	-24.73	20.40	0.00	90	0	0	3.50
7.90	-24.73	20.66	0.00	90	0	0	3.50
7.95	-24.73	20.91	0.00	90	0	0	3.50
8.00	-24.73	21.17	0.00	90	0	0	3.50
8.05	-24.73	21.43	0.00	90	0	0	3.50
8.10	-24.73	21.68	0.00	90	0	0	3.50
8.15	-24.73	21.94	0.00	90	0	0	3.50
8.20	-24.73	22.20	0.00	90	0	0	3.50
8.25	-24.73	22.45	0.00	90	0	0	3.50
8.30	-24.73	22.71	0.00	90	0	0	3.50
8.35	-24.74	22.97	0.00	90	0	0	3.50
8.40	-24.74	23.22	0.00	90	0	0	3.50
8.45	-24.74	23.48	0.00	90	0	0	3.50
8.50	-24.74	23.74	0.00	90	0	0	3.50
8.55	-24.74	23.99	0.00	90	0	0	3.50
8.60	-24.74	24.25	0.00	90	0	0	3.50
8.65	-24.74	24.51	0.00	90	0	0	3.50
8.70	-24.74	24.76	0.00	90	0	0	3.50
8.75	-24.74	25.02	0.00	90	0	0	3.50
8.80	-24.74	25.28	0.00	90	0	0	3.50
8.85	-24.74	25.53	0.00	90	0	0	3.50
8.90	-24.74	25.79	0.00	90	0	0	3.50
8.95	-24.74	26.05	0.00	90	0	0	3.50
9.00	-24.75	26.30	0.00	90	0	0	3.50
9.05	-24.75	26.56	0.00	90	0	0	3.50
9.10	-24.75	26.82	0.00	90	0	0	3.50
9.15	-24.75	27.07	0.00	90	0	0	3.50
9.20	-24.75	27.33	0.00	90	0	0	3.50
9.25	-24.75	27.59	0.00	90	0	0	3.50
9.30	-24.75	27.84	0.00	90	0	0	3.50
9.35	-24.75	28.10	0.00	90	0	0	3.50
9.40	-24.75	28.36	0.00	90	0	0	3.50
9.45	-24.75	28.61	0.00	90	0	0	3.50
9.50	-24.75	28.87	0.00	90	0	0	3.50
9.55	-24.75	29.13	0.00	90	0	0	3.50
9.60	-24.76	29.38	0.00	90	0	0	3.50
9.65	-24.76	29.64	0.00	90	0	0	3.50
9.70	-24.76	29.90	0.00	90	0	0	3.50
9.75	-24.76	30.15	0.00	90	0	0	3.50
9.80	-24.76	30.41	0.00	90	0	0	3.50
9.85	-24.76	30.67	0.00	90	0	0	3.50
9.90	-24.76	30.92	0.00	90	0	0	3.50
9.95	-24.76	31.18	0.00	90	0	0	3.50

Pedestrian

Time	x	y	z	Yaw	Pitch	Roll	Speed
10.00	-24.76	31.44	0.00	90	0	0	3.50
10.05	-24.76	31.69	0.00	90	0	0	3.50
10.10	-24.76	31.95	0.00	90	0	0	3.50
10.15	-26.52	32.28	0.00	81	0	3	24.55
10.20	-28.28	32.61	0.00	82	0	6	24.09
10.25	-30.00	32.93	0.00	83	1	9	23.63
10.30	-31.68	33.24	0.00	84	1	12	23.17
10.35	-33.34	33.55	0.00	85	1	15	22.72
10.40	-34.96	33.85	0.00	87	1	18	22.26
10.45	-36.55	34.15	0.00	88	2	21	21.80
10.50	-38.10	34.44	0.00	89	2	24	21.34
10.55	-39.62	34.72	0.00	90	2	26	20.88
10.60	-41.11	35.00	0.00	91	2	29	20.43
10.65	-42.57	35.27	0.00	92	2	32	19.97
10.70	-43.99	35.54	0.00	93	2	34	19.51
10.75	-45.38	35.80	0.00	94	3	37	19.05
10.80	-46.74	36.05	0.00	95	3	39	18.59
10.85	-48.06	36.30	0.00	96	3	41	18.13
10.90	-49.35	36.54	0.00	97	3	44	17.68
10.95	-50.61	36.77	0.00	98	3	46	17.22
11.00	-51.84	37.00	0.00	99	3	48	16.76
11.05	-53.03	37.22	0.00	99	4	50	16.30
11.10	-54.19	37.44	0.00	100	4	52	15.84
11.15	-55.31	37.65	0.00	101	4	54	15.39
11.20	-56.41	37.85	0.00	102	4	56	14.93
11.25	-57.47	38.05	0.00	103	4	58	14.47
11.30	-58.49	38.24	0.00	103	4	60	14.01
11.35	-59.49	38.43	0.00	104	4	62	13.55
11.40	-60.45	38.61	0.00	105	5	63	13.10
11.45	-61.37	38.78	0.00	105	5	65	12.64
11.50	-62.27	38.95	0.00	106	5	67	12.18
11.55	-63.13	39.11	0.00	107	5	68	11.72
11.60	-63.96	39.26	0.00	107	5	70	11.26
11.65	-64.75	39.41	0.00	108	5	71	10.81
11.70	-65.52	39.55	0.00	108	5	72	10.35
11.75	-66.25	39.69	0.00	109	5	74	9.89
11.80	-66.94	39.82	0.00	109	5	75	9.43
11.85	-67.61	39.94	0.00	110	6	76	8.97
11.90	-68.24	40.06	0.00	110	6	77	8.51
11.95	-68.83	40.17	0.00	111	6	78	8.06
12.00	-69.40	40.27	0.00	111	6	79	7.60
12.05	-69.93	40.37	0.00	111	6	80	7.14
12.10	-70.43	40.47	0.00	112	6	81	6.68
12.15	-70.89	40.55	0.00	112	6	82	6.22
12.20	-71.32	40.63	0.00	112	6	83	5.77
12.25	-71.72	40.71	0.00	113	6	83	5.31
12.30	-72.09	40.78	0.00	113	6	84	4.85
12.35	-72.42	40.84	0.00	113	6	85	4.39
12.40	-72.72	40.89	0.00	113	6	85	3.93
12.45	-72.99	40.94	0.00	113	6	86	3.48

Pedestrian

Time	x	y	z	Yaw	Pitch	Roll	Speed
12.50	-73.22	40.99	0.00	114	6	86	3.02
12.55	-73.42	41.03	0.00	114	6	86	2.56
12.60	-73.59	41.06	0.00	114	6	87	2.10
12.65	-73.73	41.08	0.00	114	6	87	1.64
12.70	-73.83	41.10	0.00	114	6	87	1.18
12.75	-73.90	41.11	0.00	114	6	87	0.73
12.80	-73.93	41.12	0.00	114	6	87	0.27
12.85	-73.94	41.12	0.00	114	6	87	0.00

Entity 8

Time	x	y	z	Yaw	Pitch	Roll	Speed
0.00	-158.31	161.37	0.00	324	0	0	15.00
0.05	-157.43	160.73	0.00	324	0	0	15.00
0.10	-156.54	160.08	0.00	324	0	0	15.00
0.15	-155.65	159.43	0.00	324	0	0	15.00
0.20	-154.76	158.78	0.00	324	0	0	15.00
0.25	-153.87	158.13	0.00	324	0	0	15.00
0.30	-152.99	157.48	0.00	324	0	0	15.00
0.35	-152.10	156.83	0.00	324	0	0	15.00
0.40	-151.21	156.18	0.00	324	0	0	15.00
0.45	-150.32	155.53	0.00	324	0	0	15.00
0.50	-149.44	154.88	0.00	324	0	0	15.00
0.55	-148.55	154.23	0.00	324	0	0	15.00
0.60	-147.66	153.58	0.00	324	0	0	15.00
0.65	-146.77	152.93	0.00	324	0	0	15.00
0.70	-145.88	152.28	0.00	324	0	0	15.00
0.75	-145.00	151.63	0.00	324	0	0	15.00
0.80	-144.11	150.98	0.00	324	0	0	15.00
0.85	-143.22	150.33	0.00	324	0	0	15.00
0.90	-142.33	149.68	0.00	324	0	0	15.00
0.95	-141.45	149.03	0.00	324	0	0	15.00
1.00	-140.56	148.38	0.00	324	0	0	15.00
1.05	-139.67	147.73	0.00	324	0	0	15.00
1.10	-138.78	147.08	0.00	324	0	0	15.00
1.15	-137.90	146.43	0.00	324	0	0	15.00
1.20	-137.01	145.79	0.00	324	0	0	15.00
1.25	-136.12	145.14	0.00	324	0	0	15.00
1.30	-135.23	144.49	0.00	324	0	0	15.00
1.35	-134.34	143.84	0.00	324	0	0	15.00
1.40	-133.46	143.19	0.00	324	0	0	15.00
1.45	-132.57	142.54	0.00	324	0	0	15.00
1.50	-131.68	141.89	0.00	324	0	0	15.00
1.55	-130.79	141.24	0.00	324	0	0	15.00
1.60	-129.91	140.59	0.00	324	0	0	15.00
1.65	-129.02	139.94	0.00	324	0	0	15.00
1.70	-128.13	139.29	0.00	324	0	0	15.00
1.75	-127.24	138.64	0.00	324	0	0	15.00
1.80	-126.35	137.99	0.00	324	0	0	15.00
1.85	-125.47	137.34	0.00	324	0	0	15.00
1.90	-124.58	136.69	0.00	324	0	0	15.00
1.95	-123.69	136.04	0.00	324	0	0	15.00
2.00	-122.80	135.39	0.00	324	0	0	15.00
2.05	-121.92	134.74	0.00	324	0	0	15.00
2.10	-121.03	134.09	0.00	324	0	0	15.00
2.15	-120.14	133.44	0.00	324	0	0	15.00
2.20	-119.25	132.79	0.00	324	0	0	15.00
2.25	-118.37	132.14	0.00	324	0	0	15.00
2.30	-117.48	131.49	0.00	324	0	0	15.00
2.35	-116.59	130.85	0.00	324	0	0	15.00
2.40	-115.70	130.20	0.00	324	0	0	15.00
2.45	-114.81	129.55	0.00	324	0	0	15.00

Entity 8

Time	x	y	z	Yaw	Pitch	Roll	Speed
2.50	-113.93	128.90	0.00	324	0	0	15.00
2.55	-113.04	128.25	0.00	324	0	0	15.00
2.60	-112.18	127.57	0.00	321	0	0	14.85
2.65	-111.34	126.89	0.00	321	0	0	14.63
2.70	-110.51	126.22	0.00	321	0	0	14.40
2.75	-109.69	125.57	0.00	321	0	0	14.18
2.80	-108.89	124.92	0.00	320	0	0	13.96
2.85	-108.10	124.28	0.00	320	0	0	13.74
2.90	-107.32	123.65	0.00	320	0	0	13.52
2.95	-106.56	123.03	0.00	320	0	0	13.29
3.00	-105.80	122.43	0.00	320	0	0	13.07
3.05	-105.07	121.83	0.00	320	0	0	12.85
3.10	-104.34	121.24	0.00	320	0	0	12.63
3.15	-103.62	120.66	0.00	320	0	0	12.40
3.20	-102.92	120.10	0.00	319	0	0	12.18
3.25	-102.23	119.54	0.00	319	0	0	11.96
3.30	-101.56	119.00	0.00	319	0	0	11.74
3.35	-100.90	118.46	0.00	319	0	0	11.52
3.40	-100.24	117.93	0.00	319	0	0	11.29
3.45	-99.61	117.42	0.00	319	0	0	11.07
3.50	-98.98	116.91	0.00	319	0	0	10.85
3.55	-98.37	116.42	0.00	319	0	0	10.63
3.60	-97.77	115.94	0.00	319	0	0	10.40
3.65	-97.18	115.46	0.00	319	0	0	10.18
3.70	-96.61	115.00	0.00	318	0	0	9.96
3.75	-96.05	114.54	0.00	318	0	0	9.74
3.80	-95.50	114.10	0.00	318	0	0	9.52
3.85	-94.96	113.67	0.00	318	0	0	9.29
3.90	-94.44	113.24	0.00	318	0	0	9.07
3.95	-93.92	112.83	0.00	318	0	0	8.85
4.00	-93.43	112.43	0.00	318	0	0	8.63
4.05	-92.94	112.03	0.00	318	0	0	8.41
4.10	-92.47	111.65	0.00	318	0	0	8.18
4.15	-92.01	111.28	0.00	318	0	0	7.96
4.20	-91.56	110.92	0.00	318	0	0	7.74
4.25	-91.12	110.57	0.00	318	0	0	7.52
4.30	-90.70	110.23	0.00	318	0	0	7.29
4.35	-90.29	109.90	0.00	317	0	0	7.07
4.40	-89.89	109.57	0.00	317	0	0	6.85
4.45	-89.51	109.26	0.00	317	0	0	6.63
4.50	-89.14	108.96	0.00	317	0	0	6.41
4.55	-88.78	108.67	0.00	317	0	0	6.18
4.60	-88.43	108.39	0.00	317	0	0	5.96
4.65	-88.10	108.12	0.00	317	0	0	5.74
4.70	-87.78	107.86	0.00	317	0	0	5.52
4.75	-87.47	107.62	0.00	317	0	0	5.30
4.80	-87.17	107.38	0.00	317	0	0	5.07
4.85	-86.89	107.15	0.00	317	0	0	4.85
4.90	-86.62	106.93	0.00	317	0	0	4.63
4.95	-86.36	106.72	0.00	317	0	0	4.41

Entity 8

Time	x	y	z	Yaw	Pitch	Roll	Speed
5.00	-86.12	106.52	0.00	317	0	0	4.18
5.05	-85.88	106.34	0.00	317	0	0	3.96
5.10	-85.66	106.16	0.00	317	0	0	3.74
5.15	-85.46	105.99	0.00	317	0	0	3.52
5.20	-85.26	105.83	0.00	317	0	0	3.30
5.25	-85.08	105.69	0.00	317	0	0	3.07
5.30	-84.91	105.55	0.00	317	0	0	2.85
5.35	-84.76	105.42	0.00	317	0	0	2.63
5.40	-84.61	105.31	0.00	317	0	0	2.41
5.45	-84.48	105.20	0.00	317	0	0	2.18
5.50	-84.36	105.11	0.00	317	0	0	1.96
5.55	-84.26	105.02	0.00	316	0	0	1.74
5.60	-84.16	104.95	0.00	316	0	0	1.52
5.65	-84.08	104.88	0.00	316	0	0	1.30
5.70	-84.02	104.83	0.00	316	0	0	1.07
5.75	-83.96	104.78	0.00	316	0	0	0.85
5.80	-83.92	104.75	0.00	316	0	0	0.63
5.85	-83.89	104.73	0.00	316	0	0	0.41
5.90	-83.87	104.71	0.00	316	0	0	0.19
5.95	-83.87	104.71	0.00	316	0	0	0.00

Entity 9

Time	x	y	z	Yaw	Pitch	Roll	Speed
0.00	403.91	-264.11	200.00	145	0	0	40.00
0.05	401.70	-262.57	198.85	145	0	0	39.90
0.10	399.50	-261.04	197.69	145	0	0	39.81
0.15	397.30	-259.51	196.54	145	0	0	39.71
0.20	395.10	-257.98	195.40	145	0	0	39.61
0.25	392.91	-256.45	194.25	145	0	0	39.52
0.30	390.73	-254.93	193.11	145	0	0	39.42
0.35	388.55	-253.42	191.98	145	0	0	39.33
0.40	386.38	-251.90	190.84	145	0	0	39.23
0.45	384.22	-250.39	189.71	145	0	0	39.13
0.50	382.05	-248.89	188.58	145	0	0	39.04
0.55	379.90	-247.39	187.45	145	0	0	38.94
0.60	377.75	-245.89	186.33	145	0	0	38.84
0.65	375.60	-244.39	185.21	145	0	0	38.75
0.70	373.46	-242.90	184.09	145	0	0	38.65
0.75	371.33	-241.41	182.97	145	0	0	38.55
0.80	369.20	-239.93	181.86	145	0	0	38.46
0.85	367.07	-238.45	180.75	145	0	0	38.36
0.90	364.95	-236.98	179.64	145	0	0	38.27
0.95	362.84	-235.50	178.54	145	0	0	38.17
1.00	360.73	-234.04	177.44	145	0	0	38.07
1.05	358.63	-232.57	176.34	145	0	0	37.98
1.10	356.53	-231.11	175.24	145	0	0	37.88
1.15	354.44	-229.65	174.15	145	0	0	37.78
1.20	352.35	-228.20	173.06	145	0	0	37.69
1.25	350.27	-226.75	171.97	145	0	0	37.59
1.30	348.19	-225.30	170.88	145	0	0	37.50
1.35	346.12	-223.86	169.80	145	0	0	37.40
1.40	344.06	-222.42	168.72	145	0	0	37.30
1.45	342.00	-220.99	167.65	145	0	0	37.21
1.50	339.94	-219.55	166.57	145	0	0	37.11
1.55	337.89	-218.13	165.50	145	0	0	37.01
1.60	335.85	-216.70	164.43	145	0	0	36.92
1.65	333.81	-215.28	163.37	145	0	0	36.82
1.70	331.78	-213.86	162.30	145	0	0	36.72
1.75	329.75	-212.45	161.24	145	0	0	36.63
1.80	327.72	-211.04	160.19	145	0	0	36.53
1.85	325.71	-209.64	159.13	145	0	0	36.44
1.90	323.69	-208.24	158.08	145	0	0	36.34
1.95	321.69	-206.84	157.03	145	0	0	36.24
2.00	319.69	-205.44	155.99	145	0	0	36.15
2.05	317.69	-204.05	154.94	145	0	0	36.05
2.10	315.70	-202.67	153.90	145	0	0	35.95
2.15	313.71	-201.28	152.86	145	0	0	35.86
2.20	311.73	-199.90	151.83	145	0	0	35.76
2.25	309.76	-198.53	150.80	145	0	0	35.66
2.30	307.79	-197.16	149.77	145	0	0	35.57
2.35	305.82	-195.79	148.74	145	0	0	35.47
2.40	303.86	-194.42	147.72	145	0	0	35.38
2.45	301.91	-193.06	146.70	145	0	0	35.28

Entity 9

Time	x	y	z	Yaw	Pitch	Roll	Speed
2.50	299.96	-191.70	145.68	145	0	0	35.18
2.55	298.02	-190.35	144.66	145	0	0	35.09
2.60	296.08	-189.00	143.65	145	0	0	34.99
2.65	294.15	-187.65	142.64	145	0	0	34.89
2.70	292.22	-186.31	141.63	145	0	0	34.80
2.75	290.30	-184.97	140.63	145	0	0	34.70
2.80	288.38	-183.64	139.63	145	0	0	34.61
2.85	286.47	-182.31	138.63	145	0	0	34.51
2.90	284.57	-180.98	137.63	145	0	0	34.41
2.95	282.67	-179.66	136.64	145	0	0	34.32
3.00	280.77	-178.34	135.65	145	0	0	34.22
3.05	278.88	-177.02	134.66	145	0	0	34.12
3.10	277.00	-175.71	133.68	145	0	0	34.03
3.15	275.12	-174.40	132.70	145	0	0	33.93
3.20	273.24	-173.09	131.72	145	0	0	33.83
3.25	271.37	-171.79	130.74	145	0	0	33.74
3.30	269.51	-170.49	129.77	145	0	0	33.64
3.35	267.65	-169.20	128.80	145	0	0	33.55
3.40	265.80	-167.91	127.83	145	0	0	33.45
3.45	263.95	-166.62	126.86	145	0	0	33.35
3.50	262.11	-165.34	125.90	145	0	0	33.26
3.55	260.28	-164.06	124.94	145	0	0	33.16
3.60	258.44	-162.78	123.98	145	0	0	33.06
3.65	256.62	-161.51	123.03	145	0	0	32.97
3.70	254.80	-160.24	122.08	145	0	0	32.87
3.75	252.98	-158.98	121.13	145	0	0	32.77
3.80	251.17	-157.72	120.18	145	0	0	32.68
3.85	249.37	-156.46	119.24	145	0	0	32.58
3.90	247.57	-155.21	118.30	145	0	0	32.49
3.95	245.77	-153.96	117.36	145	0	0	32.39
4.00	243.99	-152.71	116.43	145	0	0	32.29
4.05	242.20	-151.47	115.50	145	0	0	32.20
4.10	240.42	-150.23	114.57	145	0	0	32.10
4.15	238.65	-149.00	113.64	145	0	0	32.00
4.20	236.88	-147.77	112.72	145	0	0	31.91
4.25	235.12	-146.54	111.80	145	0	0	31.81
4.30	233.37	-145.32	110.88	145	0	0	31.72
4.35	231.61	-144.10	109.96	145	0	0	31.62
4.40	229.87	-142.88	109.05	145	0	0	31.52
4.45	228.13	-141.67	108.14	145	0	0	31.43
4.50	226.39	-140.46	107.23	145	0	0	31.33
4.55	224.66	-139.25	106.33	145	0	0	31.23
4.60	222.94	-138.05	105.43	145	0	0	31.14
4.65	221.22	-136.85	104.53	145	0	0	31.04
4.70	219.50	-135.66	103.63	145	0	0	30.94
4.75	217.80	-134.47	102.74	145	0	0	30.85
4.80	216.09	-133.28	101.85	145	0	0	30.75
4.85	214.39	-132.10	100.96	145	0	0	30.66
4.90	212.70	-130.92	100.08	145	0	0	30.56
4.95	211.01	-129.75	99.20	145	0	0	30.46

Entity 9

Time	x	y	z	Yaw	Pitch	Roll	Speed
5.00	209.33	-128.57	98.32	145	0	0	30.37
5.05	207.66	-127.41	97.44	145	0	0	30.27
5.10	205.98	-126.24	96.57	145	0	0	30.17
5.15	204.32	-125.08	95.70	145	0	0	30.08
5.20	202.66	-123.93	94.83	145	0	0	29.98
5.25	201.00	-122.77	93.96	145	0	0	29.88
5.30	199.35	-121.62	93.10	145	0	0	29.79
5.35	197.71	-120.48	92.24	145	0	0	29.69
5.40	196.07	-119.34	91.39	145	0	0	29.60
5.45	194.43	-118.20	90.53	145	0	0	29.50
5.50	192.81	-117.06	89.68	145	0	0	29.40
5.55	191.18	-115.93	88.83	145	0	0	29.31
5.60	189.56	-114.80	87.99	145	0	0	29.21
5.65	187.95	-113.68	87.14	145	0	0	29.11
5.70	186.34	-112.56	86.30	145	0	0	29.02
5.75	184.74	-111.45	85.47	145	0	0	28.92
5.80	183.14	-110.33	84.63	145	0	0	28.83
5.85	181.55	-109.22	83.80	145	0	0	28.73
5.90	179.97	-108.12	82.97	145	0	0	28.63
5.95	178.39	-107.02	82.15	145	0	0	28.54
6.00	176.81	-105.92	81.32	145	0	0	28.44
6.05	175.24	-104.83	80.50	145	0	0	28.34
6.10	173.68	-103.74	79.68	145	0	0	28.25
6.15	172.12	-102.65	78.87	145	0	0	28.15
6.20	170.56	-101.57	78.06	145	0	0	28.05
6.25	169.01	-100.49	77.25	145	0	0	27.96
6.30	167.47	-99.41	76.44	145	0	0	27.86
6.35	165.93	-98.34	75.64	145	0	0	27.77
6.40	164.40	-97.27	74.84	145	0	0	27.67
6.45	162.87	-96.21	74.04	145	0	0	27.57
6.50	161.35	-95.15	73.24	145	0	0	27.48
6.55	159.83	-94.09	72.45	145	0	0	27.38
6.60	158.32	-93.04	71.66	145	0	0	27.28
6.65	156.81	-91.99	70.87	145	0	0	27.19
6.70	155.31	-90.95	70.09	145	0	0	27.09
6.75	153.82	-89.90	69.31	145	0	0	26.99
6.80	152.33	-88.87	68.53	145	0	0	26.90
6.85	150.84	-87.83	67.75	145	0	0	26.80
6.90	149.36	-86.80	66.98	145	0	0	26.71
6.95	147.89	-85.77	66.21	145	0	0	26.61
7.00	146.42	-84.75	65.44	145	0	0	26.51
7.05	144.96	-83.73	64.68	145	0	0	26.42
7.10	143.50	-82.72	63.91	145	0	0	26.32
7.15	142.04	-81.70	63.15	145	0	0	26.22
7.20	140.60	-80.70	62.40	145	0	0	26.13
7.25	139.16	-79.69	61.64	145	0	0	26.03
7.30	137.72	-78.69	60.89	145	0	0	25.94
7.35	136.29	-77.69	60.15	145	0	0	25.84
7.40	134.86	-76.70	59.40	145	0	0	25.74
7.45	133.44	-75.71	58.66	145	0	0	25.65

Entity 9

Time	x	y	z	Yaw	Pitch	Roll	Speed
7.50	132.02	-74.72	57.92	145	0	0	25.55
7.55	130.61	-73.74	57.18	145	0	0	25.45
7.60	129.21	-72.76	56.45	145	0	0	25.36
7.65	127.81	-71.79	55.72	145	0	0	25.26
7.70	126.41	-70.82	54.99	145	0	0	25.16
7.75	125.03	-69.85	54.26	145	0	0	25.07
7.80	123.64	-68.88	53.54	145	0	0	24.97
7.85	122.26	-67.92	52.82	145	0	0	24.88
7.90	120.89	-66.97	52.10	145	0	0	24.78
7.95	119.52	-66.02	51.38	145	0	0	24.68
8.00	118.16	-65.07	50.67	145	0	0	24.59
8.05	116.80	-64.12	49.96	145	0	0	24.49
8.10	115.45	-63.18	49.26	145	0	0	24.39
8.15	114.10	-62.24	48.55	145	0	0	24.30
8.20	112.76	-61.31	47.85	145	0	0	24.20
8.25	111.43	-60.38	47.15	145	0	0	24.10
8.30	110.10	-59.45	46.46	145	0	0	24.01
8.35	108.77	-58.53	45.77	145	0	0	23.91
8.40	107.45	-57.61	45.08	145	0	0	23.82
8.45	106.14	-56.69	44.39	145	0	0	23.72
8.50	104.83	-55.78	43.71	145	0	0	23.62
8.55	103.53	-54.87	43.03	145	0	0	23.53
8.60	102.23	-53.97	42.35	145	0	0	23.43
8.65	100.93	-53.07	41.67	145	0	0	23.33
8.70	99.65	-52.17	41.00	145	0	0	23.24
8.75	98.36	-51.28	40.33	145	0	0	23.14
8.80	97.09	-50.39	39.66	145	0	0	23.04
8.85	95.81	-49.50	39.00	145	0	0	22.95
8.90	94.55	-48.62	38.33	145	0	0	22.85
8.95	93.29	-47.74	37.67	145	0	0	22.76
9.00	92.03	-46.87	37.02	145	0	0	22.66
9.05	90.78	-45.99	36.37	145	0	0	22.56
9.10	89.54	-45.13	35.71	145	0	0	22.47
9.15	88.30	-44.26	35.07	145	0	0	22.37
9.20	87.06	-43.40	34.42	145	0	0	22.27
9.25	85.83	-42.55	33.78	145	0	0	22.18
9.30	84.61	-41.70	33.14	145	0	0	22.08
9.35	83.39	-40.85	32.50	145	0	0	21.99
9.40	82.18	-40.00	31.87	145	0	0	21.89
9.45	80.97	-39.16	31.24	145	0	0	21.79
9.50	79.77	-38.32	30.61	145	0	0	21.70
9.55	78.57	-37.49	29.98	145	0	0	21.60
9.60	77.38	-36.66	29.36	145	0	0	21.50
9.65	76.19	-35.83	28.74	145	0	0	21.41
9.70	75.01	-35.01	28.12	145	0	0	21.31
9.75	73.83	-34.19	27.51	145	0	0	21.21
9.80	72.66	-33.37	26.90	145	0	0	21.12
9.85	71.50	-32.56	26.29	145	0	0	21.02
9.90	70.34	-31.75	25.68	145	0	0	20.93
9.95	69.18	-30.95	25.08	145	0	0	20.83

Entity 9

Time	x	y	z	Yaw	Pitch	Roll	Speed
10.00	68.03	-30.15	24.48	145	0	0	20.73
10.05	66.89	-29.35	23.88	145	0	0	20.64
10.10	65.75	-28.56	23.29	145	0	0	20.54
10.15	64.62	-27.77	22.69	145	0	0	20.44
10.20	63.49	-26.98	22.10	145	0	0	20.35
10.25	62.37	-26.20	21.52	145	0	0	20.25
10.30	61.25	-25.42	20.93	145	0	0	20.15
10.35	60.14	-24.65	20.35	145	0	0	20.06
10.40	59.46	-24.18	20.00	145	0	0	20.00